

Package ‘predRupdate’

December 12, 2023

Title Prediction Model Validation and Updating

Version 0.1.1

Description Evaluate the predictive performance of an existing (i.e. previously developed) prediction/ prognostic model given relevant information about the existing prediction model (e.g. coefficients) and a new dataset. Provides a range of model updating methods that help tailor the existing model to the new dataset; see Su et al. (2018) <[doi:10.1177/0962280215626466](https://doi.org/10.1177/0962280215626466)>. Techniques to aggregate multiple existing prediction models on the new data are also provided; see Debray et al. (2014) <[doi:10.1002/sim.6080](https://doi.org/10.1002/sim.6080)> and Martin et al. (2018) <[doi:10.1002/sim.7586](https://doi.org/10.1002/sim.7586)>.

License MIT + file LICENSE

Encoding UTF-8

LazyData true

RoxygenNote 7.2.3

URL <https://github.com/GlenMartin31/predRupdate>,
<https://glenmartin31.github.io/predRupdate/>

BugReports <https://github.com/GlenMartin31/predRupdate/issues>

Suggests covr, knitr, rmarkdown, testthat (>= 3.0.0)

Config/testthat/edition 3

Imports utils, stats, survival, pROC, ggplot2, rlang, ggpubr

Depends R (>= 2.10)

VignetteBuilder knitr

Language en-US

NeedsCompilation no

Author Glen P. Martin [aut, cre, cph]
(<<https://orcid.org/0000-0002-3410-9472>>),
David Jenkins [aut, cph],
Matthew Sperrin [aut, cph]

Maintainer Glen P. Martin <glen.martin31@gmail.com>

Repository CRAN

Date/Publication 2023-12-12 16:00:02 UTC

R topics documented:

dummy_vars	2
inv_logit	3
logit	4
map_newdata	4
pred_input_info	6
pred_predict	8
pred_stacked_regression	10
pred_update	13
pred_validate	15
SYNPM	17

Index	19
--------------	-----------

dummy_vars	<i>Create dummy variables for all categorical/factor variables in a data.frame</i>
------------	--

Description

Create dummy/indicator variables for all categorical variables in a data.frame. Can be used as a pre-processing step before calling other functions within the package.

Usage

```
dummy_vars(df)
```

Arguments

df	a data.frame on which to make dummy variables for each categorical/factor variable, based on contrasts.
----	---

Value

a data.frame matching df but where each categorical variable in df is replaced with indicator variables. All combinations of the indicator/dummy variable are returned. Naming convention of the new dummy variables is variable_level. For example, a factor variable in df named "colour" with levels "red", "green" and "purple" will be replaced with three columns (the new dummy variables), named colour_red, colour_green and colour_purple.

See Also

[pred_input_info](#)

Examples

```
dummy_vars(data.frame("Colour" = factor(sample(c("red",  
                                             "azure",  
                                             "green",  
                                             "white"),  
                                             500,  
                                             replace = TRUE))))
```

`inv_logit`*Apply the inverse logit function to an input*

Description

`inv_logit` applies the inverse-logit transformation (expit/ logistic function) to convert a vector of values between $-\infty$ and ∞ , to values between 0 and 1. Used to convert the linear predictor of a logistic regression model into a probability.

Usage

```
inv_logit(x)
```

Arguments

`x` Numeric vector with values between $-\infty$ and ∞ .

Value

Numeric vector of probabilities (i.e. values between 0 and 1)

See Also

[logit](#)

Examples

```
inv_logit(-2)  
inv_logit(c(-2,-1,0,1,2))
```

logit *Apply a logit transformation to an input*

Description

logit applies the logit transformation to convert a vector of values between 0 and 1, to values between $-\infty$ and ∞ . Used to convert a probability from a logistic regression model onto the linear predictor scale.

Usage

```
logit(p)
```

Arguments

p Numeric vector of probabilities (i.e. values between 0 and 1) that will be transformed.

Value

A numeric vector, with values between $-\infty$ and ∞

See Also

[inv_logit](#)

Examples

```
logit(0.5)
logit(c(0.1, 0.2, 0.3))
```

map_newdata *Map new data to a preinfo object*

Description

This function takes a preinfo object and applies (maps) a new data to this object to check there is consistency between the two. This function is not usually called directly, but rather within other functions within the package, such as `pred_predict`.

Usage

```
map_newdata(
  x,
  new_data,
  binary_outcome = NULL,
  survival_time = NULL,
  event_indicator = NULL
)
```

Arguments

<code>x</code>	an object of class "predinfo".
<code>new_data</code>	data.frame upon which the prediction model should be applied (for subsequent validation/model updating/model aggregation).
<code>binary_outcome</code>	Character variable giving the name of the column in <code>new_data</code> that represents the observed binary outcomes (should be coded 0 and 1 for non-event and event, respectively). Only relevant for <code>model_type="logistic"</code> ; leave as NULL otherwise. Leave as NULL if <code>new_data</code> does not contain any outcomes.
<code>survival_time</code>	Character variable giving the name of the column in <code>new_data</code> that represents the observed survival times. Only relevant for <code>model_type="survival"</code> ; leave as NULL otherwise. Leave as NULL if <code>new_data</code> does not contain any survival outcomes.
<code>event_indicator</code>	Character variable giving the name of the column in <code>new_data</code> that represents the observed survival indicator (1 for event, 0 for censoring). Only relevant for <code>model_type="survival"</code> ; leave as NULL otherwise. Leave as NULL if <code>new_data</code> does not contain any survival outcomes.

Details

This function maps a new dataset onto a `pred_info` object. The new dataset might be a validation dataset (to test the performance of the existing prediction model) and/or it might be the dataset on which one wishes to apply model updating methods to revise the model. In any case, this should be specified in `new_data` as a data.frame. Each row should be an observation (e.g. patient) and each variable/column should be a predictor variable. The predictor variables need to include (as a minimum) all of the predictor variables that are included in the existing prediction model (i.e., each of the variable names supplied to `pred_input_info`, through the `model_info` parameter, must match the name of a variables in `new_data`).

Any factor variables within `new_data` must be converted to dummy (0/1) variables before calling this function. `dummy_vars` can help with this.

`binary_outcome`, `survival_time` and `event_indicator` are used to specify the outcome variable(s) within `new_data`, if relevant (use `binary_outcome` if `model_type = "logistic"`, or use `survival_time` and `event_indicator` if `model_type = "survival"`). For example, if validating an existing model, then these inputs specify the columns of `new_data` that will be used for assessing predictive performance of the predictions in the validation dataset. If `new_data` does not contain outcomes, then leave these inputs to the default of NULL.

Value

Returns a list of the predinfo object, the new_data, and outcomes.

Examples

```
#as above, this function is not usually called directly, but an example of
#such use is:
model1 <- pred_input_info(model_type = "logistic",
                          model_info = SYNPM$Existing_logistic_models[1,])
map_newdata(x = model1,
            new_data = SYNPM$ValidationData[1:10,],
            binary_outcome = "Y")
```

pred_input_info	<i>Input information about an existing prediction model</i>
-----------------	---

Description

Input coefficient information about one or multiple existing prediction model(s), for use in other functions in the package.

Usage

```
pred_input_info(
  model_type = c("logistic", "survival"),
  model_info,
  cum_hazard = NULL
)
```

Arguments

model_type	<p>specifies the type of model that the existing prediction model is based on; possible options are:</p> <ul style="list-style-type: none"> • "logistic" indicates that the existing model was based on a logistic regression model (default) • "survival" indicates that the existing model was based on a survival regression model <p>If multiple models are being entered, then all models need to be of the same type - otherwise call function multiple times for each type of model.</p>
model_info	<p>a data.frame that contains the coefficients of the existing prediction model(s). Each column should be a predictor variable (with the name of the column being the name of the predictor variable), with the values being the coefficients, taken exactly as published from the existing prediction model(s). Multiple existing prediction models should be specified by entering multiple rows. If a predictor variable is not present in a given model then enter that cell of the data.frame as NA. See examples.</p>

`cum_hazard` A data.frame with two columns: (1) time, and (2) estimated cumulative baseline hazard at that time. The first column (time) should be named 'time' and the second (cumulative baseline hazard) should be named 'hazard'. Only relevant if `model_type` is "survival"; leave as NULL otherwise. If multiple existing models entered, and `model_type = survival`, then `cum_hazard` should be supplied as list of length equal to number of models.

Details

This function will structure the relevant information about one or more existing prediction model(s) into a standardised format, such that it can be used within other functions in the package.

First, the existing prediction model(s) will have a functional form (i.e. the linear predictor of the model); this will be taken as being a linear combination of the variables specified by the columns of `model_info`.

Second, each of the predictor variables of the existing prediction model(s) will have a published coefficient (e.g. log-odds-ratio or log-hazard-ratio), which should each be given as the values of `model_info`. If entering information about multiple existing prediction models, then `model_info` will contain multiple rows (one per existing model). Here, if a given model does not contain a predictor variable that is included in another model, then set as NA; see examples of this below.

In the case of `model_type = "logistic"`, then `model_info` must contain a column named as "Intercept", which gives the intercept coefficient of each of the existing logistic regression models (taken exactly as previously published); this should be the first column of `model_info`.

If `model_type = "survival"`, then the baseline cumulative hazard of the model(s) can be specified in `cum_hazard`. If the baseline cumulative hazard of the existing survival model is not available, then leave as NULL; this will limit any validation metrics that can be calculated.

Note, the column names of `model_info` should match columns in any new data that the existing model(s) will be applied to (i.e. any new data that will be provided to other functions within the package should have corresponding predictor variables entered through `model_info`). See [pred_predict](#), [pred_validate](#), [pred_update](#) and [pred_stacked_regression](#) for more information.

Value

`pred_input_info` returns an object of class "predinfo", with child classes per `model_type`. This is a standardised format, such that it can be used with other functions in the package. An object of class "predinfo" is a list containing the following components:

- `M` = the number of existing models that information has been entered about
- `model_type` = this is the type of model that the existing prediction model is based upon ("logistic" or "survival")
- `coefs` = this is the set of (previously estimated) coefficients for each predictor variable
- `coef_names` = gives the names of each predictor variable
- `formula` = this is the functional form of the model's linear predictor
- `cum_hazard` = if supplied, this is the cumulative baseline hazard of the existing model(s)

Examples

```
#Example 1 - logistic regression existing model
# create a data.frame of the model coefficients, with columns being variables
coefs_table <- data.frame("Intercept" = -3.4,
                          "SexM" = 0.306,
                          "Smoking_Status" = 0.628,
                          "Diabetes" = 0.499,
                          "CKD" = 0.538)

#pass this into pred_input_info()
Existing_Logistic_Model <- pred_input_info(model_type = "logistic",
                                          model_info = coefs_table)

summary(Existing_Logistic_Model)

#Example 2 - survival model example; uses an example dataset within the
# package.
pred_input_info(model_type = "survival",
               model_info = SYNPM$Existing_TTE_models[2,],
               cum_hazard = SYNPM$TTE_mod2_baseline)

#Example 3 - Input information about multiple models
summary(pred_input_info(model_type = "logistic",
                       model_info = SYNPM$Existing_logistic_models))
```

pred_predict

Make predictions from an existing prediction model

Description

Use an existing prediction model to estimate predicted risks of the outcome for each observation in a new dataset.

Usage

```
pred_predict(
  x,
  new_data,
  binary_outcome = NULL,
  survival_time = NULL,
  event_indicator = NULL,
  time_horizon = NULL
)
```

Arguments

x an object of class "predinfo" produced by calling [pred_input_info](#).

new_data data.frame upon which predictions are obtained using the prediction model.

binary_outcome	Character variable giving the name of the column in new_data that represents the observed binary outcomes (should be coded 0 and 1 for non-event and event, respectively). Only relevant for model_type="logistic"; leave as NULL otherwise. Leave as NULL if new_data does not contain any outcomes.
survival_time	Character variable giving the name of the column in new_data that represents the observed survival times. Only relevant for model_type="survival"; leave as NULL otherwise. Leave as NULL if new_data does not contain any survival outcomes.
event_indicator	Character variable giving the name of the column in new_data that represents the observed survival indicator (1 for event, 0 for censoring). Only relevant for model_type="survival"; leave as NULL otherwise. Leave as NULL if new_data does not contain any survival outcomes.
time_horizon	for survival models, an integer giving the time horizon (post baseline) at which a prediction is required (i.e. the t at which $P(T < t)$ should be estimated). Currently, this must match a time in x\$cum_hazard. If left as NULL, no predicted risks will be returned, just the linear predictor.

Details

This function takes the relevant information about the existing prediction model (as supplied by calling `pred_input_info`), and returns the linear predictor and predicted risks for each individual/observation in new_data.

If the existing prediction model is based on logistic regression (i.e., if `x$model_type == "logistic"`), the predicted risks will be the predicted probability of the binary outcome conditional on the predictor variables in the new data (i.e., $P(Y=1 | X)$). If the existing prediction model is based on a time-to-event/survival model (i.e., if `x$model_type == "survival"`), the predicted risks can only be calculated if a baseline cumulative hazard is provided; in this case, the predicted risks will be one minus the survival probability (i.e., $1 - S(T > \text{time horizon} | X)$).

new_data should be a data.frame, where each row should be an observation (e.g. patient) and each variable/column should be a predictor variable. The predictor variables need to include (as a minimum) all of the predictor variables that are included in the existing prediction model (i.e., each of the variable names supplied to `pred_input_info`, through the model_info parameter, must match the name of a variables in new_data). Any factor variables within new_data must be converted to dummy (0/1) variables before calling this function. `dummy_vars` can help with this. See examples.

binary_outcome, survival_time and event_indicator are used to specify the outcome variable(s) within new_data (use binary_outcome if `x$model_type = "logistic"`, or use survival_time and event_indicator if `x$model_type = "survival"`).

Value

`pred_predict` returns a list containing the following components:

- LinearPredictor = the linear predictor for each observation in the new data (i.e., the linear combination of the models predictor variables and their corresponding coefficients)
- PredictedRisk = the predicted risk for each observation in the new data

- TimeHorizon = for survival models, an integer giving the time horizon at which a prediction is made
- Outcomes = vector of outcomes/endpoints (if available).

See Also

[pred_input_info](#)

Examples

```
#Example 1 - logistic regression existing model - shows handling of factor variables
coefs_table <- data.frame("Intercept" = -3.4,
                          "Sex_M" = 0.306,
                          "Smoking_Status" = 0.628)
existing_Logistic_Model <- pred_input_info(model_type = "logistic",
                                         model_info = coefs_table)
new_df <- data.frame("Sex" = as.factor(c("M", "F", "M", "M", "F", "F", "M")),
                    "Smoking_Status" = c(1, 0, 0, 1, 1, 0, 1))
#new_df has a factor variable, so needs indicator variables creating before pred_predict:
new_df_indicators <- dummy_vars(new_df)
pred_predict(x = existing_Logistic_Model,
             new_data = new_df_indicators)

#Example 2 - survival model example; uses an example dataset within the
# package. Multiple existing models
model2 <- pred_input_info(model_type = "survival",
                         model_info = SYNPM$Existing_TTE_models,
                         cum_hazard = list(SYNPM$TTE_mod1_baseline,
                                           SYNPM$TTE_mod2_baseline,
                                           SYNPM$TTE_mod3_baseline))

pred_predict(x = model2,
             new_data = SYNPM$ValidationData[1:10,],
             survival_time = "ETime",
             event_indicator = "Status",
             time_horizon = 5)
```

pred_stacked_regression

Perform Stacked Regression on Existing Prediction Models

Description

This function takes a set of existing prediction models, and uses the new dataset to combine/aggregate them into a single 'meta-model', as described in Debray et al. 2014.

Usage

```
pred_stacked_regression(
  x,
  positivity_constraint = FALSE,
  new_data,
  binary_outcome = NULL,
  survival_time = NULL,
  event_indicator = NULL
)
```

Arguments

<code>x</code>	an object of class "predinfo" produced by calling <code>pred_input_info</code> containing information on at least two existing prediction models.
<code>positivity_constraint</code>	TRUE/FALSE denoting if the weights within the stacked regression model should be constrained to be non-negative (TRUE) or should be allowed to take any value (FALSE). See details.
<code>new_data</code>	data.frame upon which the prediction models should be aggregated.
<code>binary_outcome</code>	Character variable giving the name of the column in <code>new_data</code> that represents the observed binary outcomes (should be coded 0 and 1 for non-event and event, respectively). Only relevant for <code>model_type="logistic"</code> ; leave as NULL otherwise. Leave as NULL if <code>new_data</code> does not contain any outcomes.
<code>survival_time</code>	Character variable giving the name of the column in <code>new_data</code> that represents the observed survival times. Only relevant for <code>x\$model_type="survival"</code> ; leave as NULL otherwise.
<code>event_indicator</code>	Character variable giving the name of the column in <code>new_data</code> that represents the observed survival indicator (1 for event, 0 for censoring). Only relevant for <code>x\$model_type="survival"</code> ; leave as NULL otherwise.

Details

This function takes a set of (previously estimated) prediction models that were each originally developed for the same prediction task, and pool/aggregate these into a single prediction model (meta-model) using stacked regression based on new data (data not used to develop any of the existing models). The methodological details can be found in Debray et al. 2014.

Given that the existing models are likely to be highly co-linear (since they were each developed for the same prediction task), it has been suggested to impose a positivity constraint on the weights of the stacked regression model (Debray et al. 2014.). If `positivity_constraint` is set to TRUE, then the stacked regression model will be estimated by optimising the (log-)likelihood using bound constrained optimization ("L-BFGS-B"). This is currently only implemented for logistic regression models (i.e., if `x$model_type="logistic"`). For survival models, `positivity_constraint = FALSE`.

`new_data` should be a data.frame, where each row should be an observation (e.g. patient) and each variable/column should be a predictor variable. The predictor variables need to include (as a minimum) all of the predictor variables that are included in the existing prediction models (i.e.,

each of the variable names supplied to `pred_input_info`, through the `model_info` parameter, must match the name of a variables in `new_data`).

Any factor variables within `new_data` must be converted to dummy (0/1) variables before calling this function. `dummy_vars` can help with this. See `pred_predict` for examples.

`binary_outcome`, `survival_time` and `event_indicator` are used to specify the outcome variable(s) within `new_data` (use `binary_outcome` if `x$model_type = "logistic"`, or use `survival_time` and `event_indicator` if `x$model_type = "survival"`).

Value

A object of class "predSR". This is the same as that detailed in `pred_input_info`, with the added element containing the estimates of the meta-model obtained by stacked regression.

References

Debray, T.P., Koffijberg, H., Nieboer, D., Vergouwe, Y., Steyerberg, E.W. and Moons, K.G. (2014), Meta-analysis and aggregation of multiple published prediction models. *Statistics in Medicine*, 33: 2341-2362

See Also

[pred_input_info](#)

Examples

```
LogisticModels <- pred_input_info(model_type = "logistic",
                                model_info = SYNPM$Existing_logistic_models)
SR <- pred_stacked_regression(x = LogisticModels,
                             new_data = SYNPM$ValidationData,
                             binary_outcome = "Y")

summary(SR)

#Survival model example:
TTModels <- pred_input_info(model_type = "survival",
                           model_info = SYNPM$Existing_TTE_models,
                           cum_hazard = list(SYNPM$TTE_mod1_baseline,
                                             SYNPM$TTE_mod2_baseline,
                                             SYNPM$TTE_mod3_baseline))

SR <- pred_stacked_regression(x = TTModels,
                             new_data = SYNPM$ValidationData,
                             survival_time = "ETime",
                             event_indicator = "Status")

summary(SR)
```

 pred_update

Perform Model Updating on an Existing Prediction Model

Description

This function takes an existing (previously developed) prediction model and applies various model updating methods to tailor/adapt it to a new dataset. Various levels of updating are possible, ranging from model re-calibration to model refit.

Usage

```
pred_update(
  x,
  update_type = c("intercept_update", "recalibration", "refit"),
  new_data,
  binary_outcome = NULL,
  survival_time = NULL,
  event_indicator = NULL
)
```

Arguments

x	an object of class "predinfo" produced by calling <code>pred_input_info</code> containing information on exactly one existing prediction model.
update_type	character variable specifying the level of updating that is required.
new_data	data.frame upon which the prediction models should be updated.
binary_outcome	Character variable giving the name of the column in new_data that represents the observed binary outcomes (should be coded 0 and 1 for non-event and event, respectively). Only relevant for model_type="logistic"; leave as NULL otherwise. Leave as NULL if new_data does not contain any outcomes.
survival_time	Character variable giving the name of the column in new_data that represents the observed survival times. Only relevant for x\$model_type="survival"; leave as NULL otherwise.
event_indicator	Character variable giving the name of the column in new_data that represents the observed survival indicator (1 for event, 0 for censoring). Only relevant for x\$model_type="survival"; leave as NULL otherwise.

Details

This function takes a single existing (previously estimated) prediction model, and apply various model discrete model updating methods (see Su et al. 2018) to tailor the model to a new dataset.

The type of updating method is selected with the update_type parameter, with options: "intercept_update", "recalibration" and "refit". "intercept_update" corrects the overall calibration-in-the-large of the model, through altering the model intercept (or baseline hazard) to suit the new dataset.

This is achieved by fitting a logistic model (if the existing model is of type logistic) or time-to-event model (if the existing model is of type survival) to the new dataset, with the linear predictor as the only covariate, with the coefficient fixed at unity (i.e. as an offset). "recalibration" corrects the calibration-in-the-large and any under/over-fitting, by fitting a logistic model (if the existing model is of type logistic) or time-to-event model (if the existing model is of type survival) to the new dataset, with the linear predictor as the only covariate. Finally, "refit" takes the original model structure and re-estimates all coefficients; this has the effect as re-developing the original model in the new data.

`new_data` should be a `data.frame`, where each row should be an observation (e.g. patient) and each variable/column should be a predictor variable. The predictor variables need to include (as a minimum) all of the predictor variables that are included in the existing prediction model (i.e., each of the variable names supplied to `pred_input_info`, through the `model_info` parameter, must match the name of a variables in `new_data`).

Any factor variables within `new_data` must be converted to dummy (0/1) variables before calling this function. `dummy_vars` can help with this. See `pred_predict` for examples.

`binary_outcome`, `survival_time` and `event_indicator` are used to specify the outcome variable(s) within `new_data` (use `binary_outcome` if `x$model_type = "logistic"`, or use `survival_time` and `event_indicator` if `x$model_type = "survival"`).

Value

A object of class "predUpdate". This is the same as that detailed in `pred_input_info`, with the added element containing the estimates of the model updating and the update type.

References

Su TL, Jaki T, Hickey GL, Buchan I, Sperrin M. A review of statistical updating methods for clinical prediction models. *Stat Methods Med Res*. 2018 Jan;27(1):185-197. doi: 10.1177/0962280215626466.

See Also

[pred_input_info](#)

Examples

```
#Example 1 - update time-to-event model by updating the baseline hazard in new dataset
model1 <- pred_input_info(model_type = "survival",
  model_info = SYNPM$Existing_TTE_models[1,],
  cum_hazard = SYNPM$TTE_mod1_baseline)
recalibrated_model1 <- pred_update(x = model1,
  update_type = "intercept_update",
  new_data = SYNPM$ValidationData,
  survival_time = "ETime",
  event_indicator = "Status")

summary(recalibrated_model1)
```

pred_validate	<i>Validate an existing prediction</i>
---------------	--

Description

Validate an existing prediction model, to calculate the predictive performance against a new (validation) dataset.

Usage

```
pred_validate(
  x,
  new_data,
  binary_outcome = NULL,
  survival_time = NULL,
  event_indicator = NULL,
  time_horizon = NULL,
  cal_plot = TRUE,
  ...
)
```

Arguments

x	an object of class "predinfo" produced by calling pred_input_info .
new_data	data.frame upon which the prediction model should be evaluated.
binary_outcome	Character variable giving the name of the column in new_data that represents the observed binary outcomes (should be coded 0 and 1 for non-event and event, respectively). Only relevant for model_type="logistic"; leave as NULL otherwise. Leave as NULL if new_data does not contain any outcomes.
survival_time	Character variable giving the name of the column in new_data that represents the observed survival times. Only relevant for x\$model_type="survival"; leave as NULL otherwise.
event_indicator	Character variable giving the name of the column in new_data that represents the observed survival indicator (1 for event, 0 for censoring). Only relevant for x\$model_type="survival"; leave as NULL otherwise.
time_horizon	for survival models, an integer giving the time horizon (post baseline) at which a prediction is required. Currently, this must match a time in x\$cum_hazard.
cal_plot	indicate if a flexible calibration plot should be produced (TRUE) or not (FALSE).
...	further plotting arguments for the calibration plot. See Details below.

Details

This function takes an existing prediction model formatted according to `pred_input_info`, and calculates measures of predictive performance on new data (e.g., within an external validation study). The information about the existing prediction model should first be inputted by calling `pred_input_info`, before passing the resulting object to `pred_validate`.

`new_data` should be a `data.frame`, where each row should be an observation (e.g. patient) and each variable/column should be a predictor variable. The predictor variables need to include (as a minimum) all of the predictor variables that are included in the existing prediction model (i.e., each of the variable names supplied to `pred_input_info`, through the `model_info` parameter, must match the name of a variables in `new_data`).

Any factor variables within `new_data` must be converted to dummy (0/1) variables before calling this function. `dummy_vars` can help with this. See `pred_predict` for examples.

`binary_outcome`, `survival_time` and `event_indicator` are used to specify the outcome variable(s) within `new_data` (use `binary_outcome` if `x$model_type = "logistic"`, or use `survival_time` and `event_indicator` if `x$model_type = "survival"`).

In the case of validating a logistic regression model, this function assesses the predictive performance of the predicted risks against an observed binary outcome. Various metrics of calibration (agreement between the observed risk and the predicted risks, across the full risk range) and discrimination (ability of the model to distinguish between those who develop the outcome and those who do not) are calculated. For calibration, the observed-to-expected ratio, calibration intercept and calibration slopes are estimated. The calibration intercept is estimated by fitting a logistic regression model to the observed binary outcomes, with the linear predictor of the model as an offset. For calibration slope, a logistic regression model is fit to the observed binary outcome with the linear predictor from the model as the only covariate. For discrimination, the function estimates the area under the receiver operating characteristic curve (AUC). Various other metrics are also calculated to assess overall accuracy (Brier score, Cox-Snell R2).

In the case of validating a survival prediction model, this function assesses the predictive performance of the linear predictor and (optionally) the predicted event probabilities at a fixed time horizon against an observed time-to-event outcome. Various metrics of calibration and discrimination are calculated. For calibration, the observed-to-expected ratio at the specified `time_horizon` (if predicted risks are available through specification of `x$cum_hazard`) and calibration slope are produced. For discrimination, Harrell's C-statistic is calculated.

For both model types, a flexible calibration plot is produced (for survival models, the cumulative baseline hazard must be available in the `predinfo` object, `x$cum_hazard`). Specify parameter `cal_plot` to indicate whether a calibration plot should be produced (TRUE), or not (FALSE). The calibration plot is produced by regressing the observed outcomes against a cubic spline of the logit of predicted risks (for a logistic model) or the complementary log-log of the predicted risks (for a survival model). Users can specify parameters to modify the calibration plot. Specifically, one can specify: `xlab`, `ylab`, `xlim`, and `ylim` to change plotting characteristics for the calibration plot. A rug can be added to the x-axis of the plot by setting `pred_rug` as TRUE; this can be used to show the predicted risk distribution by outcome status.

Value

`pred_validate` returns an object of class "predvalidate", with child classes per `model_type`. This is a list of performance metrics, estimated by applying the existing prediction model to the

`new_data`. An object of class "predvalidate" is a list containing relevant calibration and discrimination measures. For logistic regression models, this will include observed:expected ratio, calibration-intercept, calibration slope, area under the ROC curve, R-squared, and Brier Score. For survival models, this will include observed:expected ratio (if `cum_hazard` is provided to `x`), calibration slope, and Harrell's C-statistic. Optionally, a flexible calibration plot is also produced, along with a box-plot and violin plot of the predicted risk distribution.

The summary function can be used to extract and print summary performance results (calibration and discrimination metrics). The graphical assessments of performance can be extracted using `plot`.

See Also

[pred_input_info](#)

Examples

```
#Example 1 - multiple existing model, with outcome specified; uses
#           an example dataset within the package
model1 <- pred_input_info(model_type = "logistic",
                          model_info = SYNPM$Existing_logistic_models)
val_results <- pred_validate(x = model1,
                            new_data = SYNPM$ValidationData,
                            binary_outcome = "Y",
                            cal_plot = FALSE)

summary(val_results)
```

Description

A list containing: (1) information on some (synthetic) existing prediction models (representing those available/published, which we want to validate in another independent dataset); and (2) a synthetic dataset that we wish to validate/update the models on.

Usage

```
SYNPM
```

Format

A list with six elements.

1. The first element is a data frame with the information about three existing binary (logistic regression) models for a binary outcome at one year
2. The second element is a data frame with the information about three existing time-to-event (Cox) models for the time-to-event outcome

3. The third, fourth and fifth elements are the cumulative baseline hazard information for the three time-to-event model
4. The sixth element is the (synthetic) validation dataset on which we want to validate the existing models. The dataset has 20000 rows and 8 variables:

Age The age of the individual at baseline

SexM The sex of the individual (1 = male; 0 = female)

Smoking_Status Indicates whether the individual was or is a smoker (1=previous/ current smoker, 0=non-smoker)

Diabetes Indicates whether the individual has diabetes (1=diabetic, 0=not diabetic)

Creatinine The Creatinine value for the individual (mg/dL)

ETime The time from baseline until either the event or censoring

Status Indicator of whether the patient experienced the event or was censored at ETime

Y Binary indicator of whether the individual experienced the event by 1 time-unit

Source

Simulated Data; see <https://github.com/GlenMartin31/predRupdate>

Index

* datasets

SYNPM, [17](#)

`dummy_vars`, [2](#), [5](#), [9](#), [12](#), [14](#), [16](#)

`inv_logit`, [3](#), [4](#)

`logit`, [3](#), [4](#)

`map_newdata`, [4](#)

`pred_input_info`, [2](#), [5](#), [6](#), [7–17](#)

`pred_predict`, [7](#), [8](#), [9](#), [12](#), [14](#), [16](#)

`pred_stacked_regression`, [7](#), [10](#)

`pred_update`, [7](#), [13](#)

`pred_validate`, [7](#), [15](#), [16](#)

SYNPM, [17](#)