

The subcaption package*

Axel Sommerfeldt

<https://gitlab.com/axelsommerfeldt/caption>

2023/02/19

Abstract

This package offers an user interface to typeset sub-captions.

- ▲ At the end of each section, text marked with the mountain symbol will contain background knowledge on how the particular command or environment is actually implemented. If you just want to use this package as it is, you don't have to read or understand them.
- ▲ Since version 3.1 the `caption` package offers a low-level interface to typeset sub-captions: `\DeclareCaptionSubType` defines the required counters and internal commands, `\setcaptionsubtype` switches to the sub-caption mode, and `\caption@subtypehook` could be extended to apply own code when a switch to the sub-caption mode is in progress. This package demonstrates its usage by offering a high-level user interface additionally.

*This package has version number v1.6.

Contents

1	Loading the package	4
2	Setting options	4
3	The <code>\subcaptionbox</code> command	5
3.1	Comparison with <code>\captionbox</code>	8
4	The <code>subcaptionblock</code> environment	8
5	The <code>subcaptiongroup</code> environment	10
6	The <code>\DeclareCaptionSubType</code> command	12
7	Cross Referencing	13
7.1	The <code>\subref</code> command	14
7.2	The <code>subrefformat=</code> option	14
7.3	Referencing sub-figures without sub-captions	15
7.4	Typesetting sub-captions without generating a (new) reference	16
7.5	Where to place the <code>\label</code> command?	17
7.6	Where do hyperlinks jump?	17
8	Captions inside sub-figures	18
8.1	Using the <code>overpic</code> package	18
8.2	Using the <code>stackengine</code> package	19
8.3	Using the <code>tikz</code> package	20
8.4	Using the <code>skip</code> and <code>margin</code> options	22
9	Numbering	23
9.1	Pitfall #1: Using multiple main captions	23
9.2	Pitfall #2: Expecting <code>\caption</code> to increment the counter	25
10	Abbreviatory commands	25
11	The <code>\subfloat</code> command	26
12	Required packages	27
13	Other packages with similar offerings	27
14	Beyond this package	28
15	Thanks	28

16 The implementation	29
16.1 Identification	29
16.2 Initial code	29
16.3 Main code	29
16.4 Execution of options	34
16.5 Bonus material	35

1 Loading the package

Load this package using

```
\usepackage[\langle options \rangle]{subcaption} .
```

The options for the subcaption package are the same ones as for the caption package, but specify settings which are used for sub-captions *additionally*. In fact

```
\usepackage[\langle options \rangle]{subcaption}
```

is identical to

```
\usepackage{subcaption}  
\subcaptionsetup{\langle options \rangle} .
```

The default settings for sub-captions are:

```
margin=0pt, font+=smaller, labelformat=parens, labelsep=space,  
skip=6pt, list=false, hycap=false 1
```

2 Setting options

`\subcaptionsetup` The `\subcaptionsetup` command sets options specifically for sub-captions.

New feature
v1.6

```
\subcaptionsetup{\langle options \rangle}
```

sets options valid for all sub-captions.

An example:

```
\subcaptionsetup{font=it}
```

sets the font to “italic” for all sub-captions.

```
\subcaptionsetup[\langle environment \rangle]{\langle options \rangle}
```

is an alternative syntax to

```
\captionsetup[sub\langle environment \rangle]{\langle options \rangle} .
```

¹This means that sub-captions are not listed in the List of Figures or Tables by default, but you can enable it by specifying the option `list=true`.

An example:

```
\subcaptionsetup[table]{labelformat=simple}
```

is identical to

```
\captionsetup[subtable]{labelformat=simple}
```

and sets the `labelformat` to “simple” for all sub-captions inside tables.

Options specified with `\usepackage[...]{subcaption}` and `\subcaptionsetup{...}` will override the ones specified by `\captionsetup{...}` and `\captionsetup[figure]{...}`, but are again overwritten by `\subcaptionsetup[figure]{...}` (same for ‘table’). So finally we have the following order how settings for sub-captions are applied:

1. Global settings (`\usepackage[...]{caption}` and `\captionsetup{...}`)
2. Environmental settings (`\captionsetup[figure -or- table]{...}`)
3. Local settings (`\captionsetup{...}` inside `figure` or `table` environment)
4. Default ‘sub’ settings (`margin=0pt, font+=smaller, ...`, see above)
5. Custom ‘sub’ settings (`\usepackage[...]{subcaption}` and `\subcaptionsetup{...}`)
6. Environmental ‘sub’ settings (`\subcaptionsetup[figure -or- table]{...}`)
7. Local ‘sub’ settings (`\captionsetup{...}` inside `subfigure` or `subtable`)

An example:

```
\usepackage[labelsep=quad,indention=10pt]{caption}
\usepackage[labelfont=bf,list=true]{subcaption}
\captionsetup[table]{textfont=it,position=top}
\subcaptionsetup[table]{textfont=sf}
```

causes sub-captions inside `table` environments to be typeset with the settings

```
indention=10pt,position=top,margin=0pt,font=small,
labelformat=parens,labelsep=space,skip=6pt,hypcap=false,
labelfont=bf,list=true,textfont=sf .
```

3 The `\subcaptionbox` command

`\subcaptionbox` The `\subcaptionbox` command typesets given content and caption. It automatically aligns the sub-figures resp. sub-tables by their very first caption line.

Its syntax is:

```
\subcaptionbox[⟨list entry⟩]{⟨heading⟩}[⟨width⟩][⟨inner-pos⟩]{⟨contents⟩}
\subcaptionbox*{⟨heading⟩}[⟨width⟩][⟨inner-pos⟩]{⟨contents⟩}
```

The arguments *⟨list entry⟩* & *⟨heading⟩* will be used for typesetting the `\caption`.

⟨width⟩ is the width of the resulting `\parbox`; the default value is the width of the contents.

⟨inner-pos⟩ specifies how the contents will be justified inside the resulting `\parbox`; it can be either ‘c’ (centered, using `\centering`), ‘l’ (left-justified, using `\raggedright`), ‘r’ (right-justified, using `\raggedleft`), or ‘s’ (for no special justification). The default is ‘c’. (But you can use any justification defined with `\DeclareCaptionJustification` as well, e.g.: ‘centerlast’)

When using `\subcaptionbox`, the baseline of the resulting box will be placed right between contents and heading. So usually you don’t have to care about the vertical alignment of the sub-figures for yourself. Also the hyperlink anchor is placed properly with respect to the `hypcap=` setting.

An example:

```
\begin{figure}
  \centering
  \subcaptionbox{A cat\label{cat}}
    {\includegraphics{cat}}
  \subcaptionbox{An elephant\label{elephant}}
    {\includegraphics{elephant}}
  \caption{Two animals}\label{animals}
\end{figure}
```




Figure 1: Two animals²

As you see the result is not satisfying; the caption below the cat looks ugly because of the small width of the graphic. This can be solved by using the optional arguments of `\subcaptionbox`, increasing the width of the resulting box:

²The pictures were taken with permission from the `LATEX Companion`[1] examples.

```

...
\subcaptionbox{A cat\label{cat}}
  [2.5cm]{\includegraphics{cat}}
...

```




Figure 2: Two animals

Furthermore the main caption, which is centered with respect to the `\textwidth`, looks mis-aligned with respect to the sub-captions. This can (again) be solved by using the optional arguments of `\subcaptionbox`, giving both boxes the same width, for example:

```

...
\subcaptionbox{A cat\label{cat}}
  [.4\textwidth]{\includegraphics{cat}}%
\subcaptionbox{An elephant\label{elephant}}
  [.4\textwidth]{\includegraphics{elephant}}
...

```




Figure 3: Two animals

▲ The `\subcaptionbox` is a `\parbox` with `\setcaptionsubtype` as first contents line.

3.1 Comparison with `\captionbox`

Both, `\captionbox` (offered by the `caption` package) and `\subcaptionbox`, put its contents and caption into a `\parbox` of either natural or given width and share the same (mandatory and optional) arguments, but while `\captionbox` uses a regular caption, `\subcaptionbox` uses a sub-caption instead, like “(a)” or “2.1”.

So for example the last example would look like this when using `\captionbox` instead of `\subcaptionbox`:

```
\begin{figure}
  \centering
  \captionbox{A cat\label{cat}}
    [.4\textwidth]{\includegraphics{cat}}%
  \captionbox{An elephant\label{elephant}}
    [.4\textwidth]{\includegraphics{elephant}}
\end{figure}
```



Figure 4: A cat




Figure 5: An elephant

4 The `subcaptionblock` environment

`subcaptionblock` (*env.*) The `subcaptionblock` environment makes a box with given width. Inside this box the regular caption commands (like `\caption`, `\phantomcaption`, ...) could be used to typeset sub-captions.

New feature
v1.5

`subcaptionblock` has the same (optional & mandatory) arguments as the `minipage` environment:

```
\begin{subcaptionblock} [<outer-pos>] [<height>] [<inner-pos>] {<width>}
...
\end{subcaptionblock}
```

The default value for *<outer-pos>* is either ‘b’ (if no main caption was typeset so far) or ‘t’ (if a main caption was already typeset), and the default value for *<inner-pos>* is ‘s’.

New feature
v1.2


Beside the *<outer-pos>* values of ‘c’, ‘t’, and ‘b’, the subcaption package also offers the values ‘T’ and ‘B’ additionally which align the contents at the very top resp. bottom. (In contrast ‘t’ and ‘b’ align the contents at the top resp. bottom *baseline*.)

The same example as [Figure 3](#), but this time using the `subcaptionblock` environment instead of `\subcaptionbox`:

```
\begin{figure}
\centering
\begin{subcaptionblock}{.4\textwidth}
\centering
\includegraphics{cat}
\caption{A cat}\label{cat}
\end{subcaptionblock}%
\begin{subcaptionblock}{.4\textwidth}
\centering
\includegraphics{elephant}
\caption{An elephant}\label{elephant}
\end{subcaptionblock}%
\caption{Two animals}\label{animals}
\end{figure}
```



(a) A cat



(b) An elephant

Figure 6: Two animals

Some additional notes:

- You can override the settings for a specific subcaption with a `\captionsetup` inside the `subcaptionblock`, e.g.:

```
\begin{subcaptionblock}{.4\textwidth}
\centering
\includegraphics{owl}
\captionsetup{skip=3pt}
\caption{An owl}\label{owl}
\end{subcaptionblock}
```

- Just like `figure` or `table`, a `subcaptionblock` could have multiple captions, e.g.:

```
\begin{subcaptionblock}{.4\textwidth}
\centering
\includegraphics{cat}
\caption{A cat}\label{cat}
```

```

\medskip
\includegraphics{elephant}
\caption{An elephant}\label{elephant}
\end{subcaptionblock}

```

- Hyperlinks targeted to this sub-figure will jump to the beginning of the subcaptionblock, and not to the \caption inside it (if hypcap=true is set for sub-captions). (See [section 7.6: Where do hyperlinks jump?](#))

subfigure (*env.*) The subcaptionblock environment is also offered as subfigure resp. sub-subtable (*env.*) table. (And prior version 1.5 of the subcaption package it was only available as sub-figure resp. subtable.)

There is no difference in them except the environment name should match the current floating environment, i.e. inside a figure a subfigure should be used, and inside a table a subtable should be used. Using the wrong sub-environment will cause a warning since v1.5 of the subcaption package.

So if in doubt, or when writing own L^AT_EX commands which should work in every floating environment, using subcaptionblock is the correct choice.

(Note that the default value for *outer-pos* has changed from ‘c’ to either ‘b’ or ‘t’ in version 1.5 of the subcaption package.)

▲ The subcaptionblock, subfigure, and subtable environments are minipage environments with \setcaptionsubtype as first contents line.

subfigure and subtable are defined with the help of \ForEachCaptionSubType offered by the caption package, which executes code for every sub-type declared with \DeclareCaptionSubType.

5 The subcaptiongroup environment

subcaptiongroup (*env.*) The subcaptiongroup environment is only switching to the sub-caption mode inside an own T_EX group. Inside this environment the regular caption commands (like \caption, \phantomcaption, ...) could be used to typeset sub-captions.

New feature
v1.5

Its syntax is:

```

\begin{subcaptiongroup}
...
\end{subcaptiongroup}

```

There is a starred variant of this environment as well which uses \setcaptionsubtype* instead of \setcaptionsubtype internally:

```

\begin{subcaptiongroup*}
...
\end{subcaptiongroup*}

```

While this gives you great flexibility, it also offers you no help formatting its contents.

The same example as [Figure 6](#), but this time using the `subcaptiongroup` environment instead of `\subcaptionblock`:

```
\begin{figure}
  \centering
  \begin{subcaptiongroup}
    \centering
    \parbox[b]{.4\textwidth}{%
      \centering
      \includegraphics{cat}
      \caption{A cat}\label{cat}}%
    \parbox[b]{.4\textwidth}{%
      \centering
      \includegraphics{elephant}
      \caption{An elephant}\label{elephant}}%
    \end{subcaptiongroup}
  \caption{Two animals}\label{animals}
\end{figure}
```

–or–

```
\begin{figure}
  \centering
  \begin{subcaptiongroup}
    \centering
    \begin{minipage}[b]{.4\textwidth}
      \centering
      \includegraphics{cat}
      \caption{A cat}\label{cat}
    \end{minipage}%
    \begin{minipage}[b]{.4\textwidth}
      \centering
      \includegraphics{elephant}
      \caption{An elephant}\label{elephant}
    \end{minipage}
  \end{subcaptiongroup}
  \caption{Two animals}\label{animals}
\end{figure}
```




Figure 7: Two animals

- ▲ The `subcaptiongroup` environment is a \LaTeX environment with `\setcaptionsubtype` as first contents line.

6 The `\DeclareCaptionSubType` command

`\DeclareCaptionSubType` For using the sub-caption feature of the caption package some commands and counters must be prepared. This is done with

```
\DeclareCaptionSubType[numbering scheme]{type}
\DeclareCaptionSubType*[numbering scheme]{type}
```

For the environments `figure` & `table`, and all the ones defined with `\DeclareFloatingEnvironment` offered by the `newfloat` package, this will be done automatically, but for other environments (e.g. the ones defined with `\newfloat` offered by the `float` package or `\DeclareNewFloatType` offered by the `floatrow` package) this has to be done manually.

The starred variant provides the sub-caption numbering format `<type>.<subtype>` (for example ‘1.2’) while the non-starred variant simply uses `<subtype>` (for example ‘a’).

Own numbering formats can be created by redefining `\thesub<type>`, e.g.:

```
\DeclareCaptionSubType*{figure}
\renewcommand\thesubfigure{\thefigure\alph{subfigure}}
```

would give you sub-caption numbers like ‘1b’.

The default numbering scheme is `alph`, but you can use any \LaTeX (or self-defined) command name here which converts a counter to a text value, e.g.: `arabic`, `roman`, `Roman`, `alph`, `Alph`, `fnsymbol`, ...

But `\DeclareCaptionSubType` is not only for defining new sub-caption types, you can use this command for re-definitions as well, e.g.:

```
\DeclareCaptionSubType*[arabic]{table}
\subcaptionsetup[table]{labelformat=simple,labelsep=colon}
```

will give you sub-captions in tables like these ones:

1.1: Table one	1.2: Table two
A B	E F
C D	G H

▲ `\DeclareCaptionSubType` and `\ForEachCaptionSubType` are integral parts of the caption package kernel.

7 Cross Referencing

The macro `\the<counter>` is not only responsible for the look of the `<counter>`, but for the look of the references typeset with `\ref`, too. References will be prefixed by `LATEX` with the internal macro `\p@<counter>`.

`\DeclareCaptionSubType` will define both of them for sub-captions (e.g. `subfigure` and `subtable`), and as you have seen in the last section `\DeclareCaptionSubType` will give you some options to control the internal (re-)definition of `\the<counter>` and `\p@<counter>`.

`\thesubfigure` For example `\thesubfigure` and `\p@subfigure` are (as default) internally defined as

```
\newcommand\thesubfigure{\alph{subfigure}}
\newcommand\p@subfigure{\thefigure}
```

so the label of sub-captions will look like ‘a’ (decorated by the selected label format), while references will look like ‘1a’ since they are prefixed by `\p@subfigure = \thefigure`.

After `\DeclareCaptionSubType*[arabic]{figure}`, `\thesubfigure` and `\p@subfigure` will look like

```
\renewcommand\thesubfigure{\thefigure.\arabic{subfigure}}
\renewcommand\p@subfigure{}
```

But if you want detailed control on how the references will look like, the options of `\DeclareCaptionSubType` are potentially not sufficient. In this case one need to redefine these two macros on his/her own. Some examples:

If you want parentheses around the sub-figure part of the reference, so they will look like ‘1 (a)’, you may get them this way:

```
\usepackage[labelformat=simple]{subcaption}
\renewcommand\thesubfigure{(\alph{subfigure})}
```


(*Note:* Since `parens` is the default label format you will get double parentheses in sub-captions when not specifying a different label format, e.g. `simple`.)

But if you want only a closing parenthesis, so references will look like ‘1a)’, but the sub-captions itself should still look like ‘(a)’, this would be a possible solution:

```

\usepackage{subcaption}
\renewcommand\thesubfigure{\alph{subfigure}}
\DeclareCaptionLabelFormat{opening}{(#2)}
\subcaptionsetup[figure]{labelformat=opening}

```

 Please note that you need to surround redefinitions of `\p@⟨counter⟩` with `\makeatletter` and `\makeatother`. See <http://tex.stackexchange.com/questions/8351/> for details.

7.1 The `\subref` command

While `\ref{⟨key⟩}` (and `\ref*{⟨key⟩}`, if the `hyperref` package is used) usually gives a combined result representing the main caption counter and the sub-caption one, it is sometimes useful to have a reference to the sub-caption only. For this purpose you can use


```

\subref{⟨key⟩}
\subref*{⟨key⟩} 3 .

```

So for example `\ref{cat}` gives the result ‘1a’ but `\subref{cat}` gives ‘a’.

Note: If the sub-caption was (re-)defined with the starred variant `\DeclareCaptionSubType*`, both `\ref` and `\subref` usually gives the same result.

 The `\subref` command demonstrates the usage of `\caption@subtypehook` which will be called during `\captionsetup{subtype}`.

7.2 The `subrefformat=` option

`subrefformat=` By applying `\DeclareCaptionSubType`, or by redefining `\the⟨counter⟩` and `\p@⟨counter⟩`, you will change the look of references typeset with `\ref` and `\subref`.

New feature

v1.1 But maybe you only want to change the output of `\subref` without affecting the references typeset with `\ref`?

This is possible, too, by using the option `subrefformat`:

```

\captionsetup{subrefformat=⟨label format⟩}

```

This one will choose a label format (either a pre-defined one, or a one defined with `\DeclareCaptionLabelFormat`) as decorative element to sub-references. The default one is `simple` which has no decorative elements but simply typeset the reference as it is.

For example

```

\captionsetup{subrefformat=parens}

```

will result in references (typeset with `\ref`) like ‘1a’ but sub-references (typeset with `\subref`) like ‘(a)’.

7.3 Referencing sub-figures without sub-captions

`\phantomcaption` If you don't want to give a sub-figure a caption (yet), because the picture itself already contains the caption, or for some other reason, you could use the command

```
\phantomcaption
```

instead of `\caption`.

`\phantomcaption` is offered by the `caption` package since version 3.2 and does not generate any output but increases the sub-figure resp. sub-table counter and gives you an anchor for a `\label` command which can be placed after it.

An example:

```
\begin{figure}
  \centering
  \begin{subcaptiongroup}
    \includegraphics{cat_with_a}
    \phantomcaption\label{cat}
    \includegraphics{elephant_with_b}
    \phantomcaption\label{elephant}
  \end{subcaptionblock}
  \captionsetup{subrefformat=parens}
  \caption{Two animals: \subref{cat} a cat,
           and \subref{elephant} an elephant}
  \label{animals}
\end{figure}
```




Figure 8: Two animals: (a) a cat, and (b) an elephant

`\captionlistentry` If you don't want to give a sub-figure a caption (yet), because the picture itself already contains the caption, or for some other reason, you could also use the command

```
\captionlistentry{\list entry}
```

instead of `\caption`.

`\captionlistentry` is offered by the `caption` package since version 3.3 and (just like `\phantomcaption`) does not generate any output but increases the sub-figure resp. sub-table counter and gives you an anchor for a `\label` command which can be placed after it. Additionally to `\phantomcaption` this command puts an entry into the list of figures resp. tables.

³Like `\ref*`, `\subref*` is only available if the `hyperref` package^[4] is used.

An example:

```
\begin{figure}
\centering
\begin{subcaptiongroup}
\includegraphics{cat_with_a}
\captionlistentry{A cat}
\label{cat}
\includegraphics{elephant_with_b}
\captionlistentry{An elephant}
\label{elephant}
\end{subcaptionblock}
\captionsetup{subrefformat=parens}
\caption{Two animals: \subref{cat} a cat,
and \subref{elephant} an elephant}
\label{animals}
\end{figure}
```

7.4 Typesetting sub-captions without generating a (new) reference

The `\caption` command is a multi-purpose command:

1. It increments the sub-figure resp. sub-table counter and generates an internal reference which could be used with `\label`
2. It puts an entry into the list of figures resp. tables
3. It finally typesets a caption

When put into a command or into an environment which either evaluates its content more than once or does not like one of the first two actions (for whatever reason), the result could be either an error message or an incorrect result, for example a sub-figure resp. sub-table counter which was incremented more than once.

`\captiontext` In these cases the `\caption` command could be split into `\phantomcaption` which performs step one only (or `\captionlistentry` which performs steps one and two), and `\captiontext` which performs step three only. This way critical steps could be out-sourced from the target command or environment, for example by prepending `\phantomcaption` and using `\captiontext` inside.

The syntax of `captiontext` is

```
\captiontext [number] {text of sub-caption}
\captiontext* [number] {text of sub-caption}
```

`\captiontext` is offered by the `caption` package since version 3.6 and as opposite to `\caption` it does not increase the sub-figure resp. sub-table counter and does not give you an anchor for a `\label` command. It typesets the caption only, using existing counter values unless a `number` is given explicitly.

For example code please take a look at [section 8: Captions inside sub-figures](#).

7.5 Where to place the `\label` command?

When `\caption` inside a `captionsubblock`, `subfigure`, `subtable`, or `caption-subgroup` environment, the `\label` can be either placed inside the caption text or right after the command, e.g.:

```
\caption{Some text here\label{text}}
...
\caption{Some other text}\label{othersetext}
...
\caption{Something completely different}
\label{differenttext}
```

When using `\phantomcaption` or `\captionlistentry` inside a `captionsubblock`, `subfigure`, `subtable`, or `captionsubgroup` environment, the `\label` should be placed right after the command, e.g.:

```
\phantomcaption\label{this}
...
\phantomcaption
\label{that}
```

But when using the `\subcaptionbox` command, the `\label` should be placed inside the caption text, e.g.:

```
\subcaptionbox{A description here\label{todo1}}
    {Some content here}
...
\subcaptionbox[List-of-Figures entry]
    {A description here\label{todo2}}
    {Some content here}
```

Placing `\label` outside the `\subcaptionbox` would produce an incorrect reference.

7.6 Where do hyperlinks jump?

For the `captionsubblock`, `subfigure`, `subtable`, and `captionsubgroup` environments, and for the `\subcaptionbox` command (and all other constructs which use `\setcaptionsubtype`) the hyperlink anchors will be placed in respect to the `hycap=` setting. While usage of this option is straight-forward for ordinary captions, the usage for sub-captions depends on the setting regarding the main captions.

This table gives you an overview where the hyperlinks will jump:

	caption	hycap=false	hycap=true
subcaption		sub-caption	figure or table <i>(default setting)</i>
hycap=false			
hycap=true		sub-figure or sub-table	sub-figure or sub-table

But if the `captionsubgroup*` environment is used (or a different construct which uses `\setcaptionsubtype*`) and `hypcap=true` is set for sub-captions, the sub-caption package does not know where the sub-figure or sub-table actually begins, so it will jump to the sub-caption instead.

Remember: If you use the `hypcap` package[5], it controls the placement of the hyperlink anchors, making the rules above invalid.

(See also the documentation of the `caption` package, sections about `hyperref` & `hypcap`.)

8 Captions inside sub-figures

Nearly all code examples so far have placed the caption either above or below the sub-figure. But it is possible to put the caption inside the sub-figure, too:

- The caption could already be part of the image. (This case is already handled in [section 7.3: Referencing sub-figures without sub-captions.](#))
- \LaTeX packages like `overpic`, `stackengine`, or `tikz` could be used. Note that the commands resp. environments offered by these packages usually evaluate their content more than once, resulting in either errors or wrong reference counters. For this reason `\caption` should not be used here, instead `\phantomcaption` or `\captionlistentry` should be used outside the command resp. environment and `\captiontext` should be used inside it. See also [section 7.4: Typesetting sub-captions without generating a \(new\) reference](#)
- The options `skip=` and `margin=` could be used to place the caption onto the image.

8.1 Using the `overpic` package

The same example as in [section 7.3: Referencing sub-figures without sub-captions](#), but using the `overpic` environment offered by the `overpic` package [7] to place the captions inside the pictures:

```
\usepackage{overpic}
...
\begin{figure}
  \centering
  \begin{subcaptiongroup}
    \subcaptionlistentry{A cat}
    \label{cat}
    \begin{overpic}[width=60pt]{cat}
      \put(40,34){\captiontext*{}}
    \end{overpic}
    \subcaptionlistentry{An elephant}
    \label{elephant}
    \begin{overpic}[width=140pt]{elephant}
```

```

\put (58,40) {\captiontext*{}}
\end{overpic}
\end{subcaptiongroup}
\captionsetup{subrefformat=parens}
\caption{Two animals: \subref{cat} a huge cat,
and \subref{elephant} an elephant}
\end{figure}

```




Figure 9: Two animals: (a) a huge cat, and (b) an elephant

If neither a reference to the sub-figures nor an entry in the List of Figures is needed, the usage of `\phantomcaption` resp. `\captionlistentry` could be dropped. Since this leaves `\captiontext` without a valid sub-figure number value it must be given to it explicitly as optional argument.

Furthermore the usage of the `subcaptiongroup` environment could be dropped here, instead it would be sufficient to replace `\captiontext` with `\subcaptiontext`. (See [section 10: Abbreviatory commands](#))

```

\usepackage{overpic}
...
\begin{figure}
\centering
\begin{overpic}[width=60pt]{cat}
\put (40,34) {\subcaptiontext*[1]{} }
\end{overpic}
\begin{overpic}[width=140pt]{elephant}
\put (58,40) {\subcaptiontext*[2]{} }
\end{overpic}
\caption{Two animals: A huge cat and an elephant}
\end{figure}

```

8.2 Using the stackengine package

The same example as in [section 7.3: Referencing sub-figures without sub-captions](#), but using the `\stackinset` command offered by the `stackengine` package [8] to place the captions inside the pictures:

```

\usepackage{stackengine}
...
\begin{figure}
  \centering
  \begin{subcaptiongroup}
    \subcaptionlistentry{A cat}
    \label{cat}
    \stackinset{l}{25pt}{b}{20pt}{\captiontext*{}}
      {\includegraphics[width=60pt]{cat}}
    \subcaptionlistentry{An elephant}
    \label{elephant}
    \stackinset{l}{80pt}{b}{60pt}{\captiontext*{}}
      {\includegraphics[width=140pt]{elephant}}
  \end{subcaptiongroup}
  \captionsetup{subrefformat=parens}
  \caption{Two animals: \subref{cat} a huge cat,
    and \subref{elephant} an elephant}
\end{figure}

```




Figure 10: Two animals: (a) a huge cat, and (b) an elephant

If neither a reference to the sub-figures nor an entry in the List of Figures is needed, this code could be simplified to:

```

\usepackage{stackengine}
...
\begin{figure}
  \centering
  \stackinset{l}{25pt}{b}{20pt}{\subcaptiontext*[1]{}}
    {\includegraphics[width=60pt]{cat}}
  \stackinset{l}{80pt}{b}{60pt}{\subcaptiontext*[2]{}}
    {\includegraphics[width=140pt]{elephant}}
  \caption{Two animals: A huge cat and an elephant}
\end{figure}

```

8.3 Using the tikz package

The same example as in section [section 7.3: Referencing sub-figures without sub-captions](#), but using the `tikzpicture` environment offered by the `tikz` package [9] to

place the captions inside the pictures:

```
\usepackage{tikz}
...
\begin{figure}
  \centering
  \begin{subcaptiongroup}
    \subcaptionlistentry{A cat}
    \label{cat}
    \begin{tikzpicture}
      \node (cat) at (0,0)
        {\includegraphics[width=60pt]{cat}};
      \node at (0.1,-0.1) {\captiontext*{}};
    \end{tikzpicture}
    \subcaptionlistentry{An elephant}
    \label{elephant}
    \begin{tikzpicture}
      \node (elephant) at (0,0)
        {\includegraphics[width=140pt]{elephant}};
      \node at (0.5,-0.1) {\captiontext*{}};
    \end{tikzpicture}
  \end{subcaptiongroup}
  \captionsetup{subrefformat=parens}
  \caption{Two animals: \subref{cat} a huge cat,
    and \subref{elephant} an elephant}
\end{figure}
```




Figure 11: Two animals: (a) a huge cat, and (b) an elephant

If neither a reference to the sub-figures nor an entry in the List of Figures is needed, this code could be simplified to:

```
\usepackage{tikz}
...
\begin{figure}
  \centering
  \begin{tikzpicture}
    \node (cat) at (0,0)
```

```

        {\includegraphics[width=60pt]{cat}};
        \node at (0.1,-0.1) {\subcaptiontext*[1]{} };
    \end{tikzpicture}
\begin{tikzpicture}
    \node (elephant) at (0,0)
        {\includegraphics[width=140pt]{elephant}};
        \node at (0.5,-0.1) {\subcaptiontext*[2]{} };
    \end{tikzpicture}
    \caption{Two animals: A huge cat and an elephant}
\end{figure}

```

8.4 Using the skip and margin options

For a particular sub-caption the `skip=...` could be set to a negative value so it will overlap with the image. Combined with `singlelinecheck=off` (to switch off the centering of short captions) and `margin=...` it could be placed at a specific horizontal position within the image, too.

The same example as in section [section 7.3: Referencing sub-figures without sub-captions](#), but using the `skip=...` and `margin=...` options:

```

\begin{figure}
  \centering
  \subcaptionsetup[figure]
    {skip=-28pt,slc=off,margin={25pt,0pt}}
  \subcaptionbox{\label{cat}}
    {\includegraphics[width=60pt]{cat}}
  \subcaptionsetup[figure]
    {skip=-60pt,slc=off,margin={80pt,0pt}}
  \subcaptionbox{\label{elephant}}
    {\includegraphics[width=140pt]{elephant}}
  \captionsetup{subrefformat=parens}
  \caption{Two animals: \subref{cat} a huge cat,
    and \subref{elephant} an elephant}
\end{figure}

```




Figure 12: Two animals: (a) a huge cat, and (b) an elephant

9 Numbering

9.1 Pitfall #1: Using multiple main captions

When multiple main captions are used within a figure or table, and sub-captions are used as well, how does the subcaption package know which sub-captions belong to which caption, i.e. what is the main counter value for the sub-captions?

Let's illustrate this problem with an example document:

```
\documentclass{article}
\usepackage{graphicx, subcaption}
\begin{document}
\begin{figure}
  \centering
  \includegraphics[width=4cm]{example-image-c}
  \caption{Caption no. 1}
  \bigskip
  \subcaptionbox
    {\label{fig:2a}}
    {\includegraphics[width=2cm]{example-image-a}}
  \subcaptionbox
    {\label{fig:2b}}
    {\includegraphics[width=2cm]{example-image-b}}
  \caption{Caption no. 2}
\end{figure}
Look at sub-figures \ref{fig:2a} and \ref{fig:2b}.
\end{document}
```

It's obvious that the sub-captions belong to 2nd caption, and therefore `\ref{fig:2a}` will become "2a", isn't it? But since the subcaption package is only involved when using \LaTeX commands either defined or patched by the caption or subcaption package, this is what the caption package is aware of:

```
\usepackage{subcaption}
\begin{document}
\begin{figure}
  \caption{Caption no. 1}
  \subcaptionbox
    {\label{fig:2a}}
    {\unknown content}
  \subcaptionbox
    {\label{fig:2b}}
    {\unknown content}
  \caption{Caption no. 2}
\end{figure}
\end{document}
```

So from captions point of view it's not easy to decide if the sub-captions belong to the 1st or 2nd main caption since they are placed between them. (Note: The subcaption package is only offering an user interface to the sub-caption feature of the caption package, and therefore this decision is the responsibility of the caption package.)

But how does the caption package makes a decision? If in doubt, it rather clings to the past than to the future, i.e. in this case it decides that the sub-captions belong to the 1st caption and therefore the result of `\ref{fig:2a}` is not “2a” but “1a”. If the caption package is unsure about its decision (like in this case), a warning will be issued:

```
Package caption Warning: Ambiguous sub-caption(s),
                        use \nextfloat on input line 15.
See the caption package documentation for explanation.
```

How to fix it? Use `\nextfloat` to tell the caption package where the 2nd figure within the figure environment starts:

```
\documentclass{article}
\usepackage{graphicx,subcaption}
\begin{document}
\begin{figure}
  \centering
  \includegraphics[width=4cm]{example-image-c}
  \caption{Caption no. 1}
  \bigskip
  \nextfloat
  \subcaptionbox
    {\label{fig:2a}}
    {\includegraphics[width=2cm]{example-image-a}}
  \subcaptionbox
    {\label{fig:2b}}
    {\includegraphics[width=2cm]{example-image-b}}
  \caption{Caption no. 2}
\end{figure}
Look at sub-figures \ref{fig:2a} and \ref{fig:2b}.
\end{document}
```

- i** Note that the `\nextfloat` command was introduced in caption package v3.6. Previous versions of the caption package have bound the decision to the `position=` setting of the floating environment instead, i.e. sub-captions belonged to the caption above if `position=top` was set and they belonged to the caption below if `position=below` was set. While this would be beneficial in this case, there were several cases where it was not and especially it was not always comprehensible to the user why his references got an incorrect numbering.

Furthermore the new decision algorithm always succeeds if there is only one caption within the figure or table (which is the case most of the time) while the old one did not.

If you still prefer the old decision algorithm (for example because you want to process an already existing document), you need to specify the caption package version explicitly, for example:

```
\documentclass{article}
\usepackage{caption}[v3.5]
\usepackage{graphicx,subcaption}
...
```

See also: [section 12: Required packages](#)

9.2 Pitfall #2: Expecting `\caption` to increment the counter

Usually `\caption` increments the figure resp. table counter and therefore it is usually safe to assume that the counter was not incremented yet in code used before `\caption`:

```
\documentclass{article}
\begin{document}
\begin{figure}
  Figure counter before caption: \thefigure
  \caption{Some text}
  Figure counter after caption: \thefigure
\end{figure}
\end{document}
```

Unsurprisingly the results are 0 and 1 for the counter values.

But this happens if we use the subcaption package:

```
\documentclass{article}
\usepackage{subcaption}
\begin{document}
\begin{figure}
  \subcaptionbox{}{some content}
  \subcaptionbox{}{some content}
  Figure counter before caption: \thefigure
  \caption{Some text}
  Figure counter after caption: \thefigure
\end{figure}
\end{document}
```

Here the results are 1 and 1 for the counter values. Why?

Since the caption package assumes that there will be a `\caption` following `\subcaptionbox` it decides that the sub-captions belong to the upcoming main caption and therefore share the same main counter value which needs to be incremented before its use. Therefore the first `\subcaptionbox` in the figure increments the figure counter while the second one and especially the `\caption` does not.

Usually this is no problem at all but keep this in mind if you are doing tricky stuff with the figure resp. table counter within figures resp. tables.

10 Abbreviatory commands

`\subcaption` As we have seen in sections [section 8.1: Using the overpic package](#), [section 8.2: Using the stackengine package](#), and [section 8.3: Using the tikz package](#) it's sometimes inconvenient to use the commands and environments described so far.

`\phantomsubcaption`
`\subcaptionlistentry`
`\subcaptiontext` For example it would be inconvenient to use `captiongroup` just for a single `\captiontext` in this particular case:

```
...
\begin{overpic}[width=60pt]{cat}
  \put(40,34)
```

```

    {\begin{captiongroup*}
      \captiontext*[1]{ }
    \end{captiongroup*}}
\end{overpic}
...

```

Since `\captiontext` is already used in an extra environment (`overpic`) we don't need an extra `captiongroup*` here, instead using `\setcaptionsubtype*` (which switches into the sub-caption mode without making an `hyperref` anchor) would be sufficient:

```

...
\begin{overpic}[width=60pt]{cat}
  \put(40,34)
    {\setcaptionsubtype*
     \captiontext*[1]{ }}
\end{overpic}
...

```

But this is still inconvenient when used many times, and therefore the `subcaption` package defines several extra commands which are prefixed with `\setcaptionsubtype*`:

Regular command	using <code>\setcaptionsubtype*</code>	available since
<code>\caption</code>	<code>\subcaption</code>	v1.0
<code>\phantomcaption</code>	<code>\phantomsubcaption</code>	v1.1
<code>\captionlistentry</code>	<code>\subcaptionlistentry</code>	v1.5
<code>\captiontext</code>	<code>\subcaptiontext</code>	v1.5

This way our code snippet above could be simplified to:

```

...
\begin{overpic}[width=60pt]{cat}
  \put(40,34){\subcaptiontext*[1]{ }}
\end{overpic}
...

```

i Since `\setcaptionsubtype` should only be used within an extra group or environment, the same applies to these commands as well. (In this case `\subcaptiontext` is encapsulated by the `overpic` environment, so we are ok here.)

▲ The `\subcaption` command is just a simple combination of `\setcaptionsubtype*` and `\caption`. Same for all other abbreviatory commands here.

11 The `\subfloat` command

`\subfloat` To allow a smoother transition from the `subfig` package [10] (which is unmaintained for over 16 years) this package also offers `\subfloat` with the same syntax:

New feature
v1.3

```
\subfloat [⟨list_entry⟩] [⟨sub-caption⟩] {⟨body⟩}
```

12 Required packages

New feature v1.4 Starting with version 1.4 the subcaption package requires at least version 3.1 of the caption package and loads it automatically. (Older versions of the subcaption package have required exactly the version of the caption package which was released with it.)

If you need to use a specific version of the caption package you need to load it *before* the subcaption package, e.g.:

```
\usepackage[...]{caption}[=v3.5]
\usepackage[...]{subcaption}
```

Note that there are limitations if an older version of the caption package is used:

- The `\phantomsubcaption` command need at least caption v3.2.
- The `\subcaptionlistentry` command need at least caption v3.3.
- The `\subcaptiontext` command need at least caption v3.6.
- The `\subfloat` emulation needs at least caption v3.4.

13 Other packages with similar offerings

The subcaption package is not the only one defining sub-figure counters and offering commands or environments to typeset sub-figures. The most established are:

- The memoir document class
- The subfigure package and its successor, the subfig package

New feature v1.6 Prior subcaption version 1.6 an error message was issued if the ‘subfigure’ or ‘subtable’ counter was already defined by any of them. Since subcaption version 1.6 the ‘subfigure’ and ‘subtable’ counters will only be defined by the subcaption package if they are not defined yet, but the usage of any of the commands or environments described in this document will result in an error message “The counter sub... was defined by ...” if the corresponding counter was not defined by the subcaption package. Equally the commands or environments offered by the above document classes or packages should not be used with counters defined by the subcaption package, this will result in either L^AT_EX errors or unwanted behaviour.

So the rule of thumb is: If the counter ‘subfigure’ or ‘subtable’ is defined by document class or package *xyz*, then the corresponding commands and environments offered by the document class or package *xyz* should be used.

An example document:

```
\documentclass{memoir}
\newsubfloat{table}      % defines the 'subtable' counter
\usepackage{subcaption} % defines the 'subfigure' counter
\begin{document}
\begin{figure}
\subcaptionbox{...}{...} % <- This is fine
\caption{...}
```

```
\end{figure}
\begin{table}
\caption{...}
\subcaptionbox{...}{...} % <- This results in an error,
\end{table}              \subtop should be used instead
\end{document}
```

14 Beyond this package

For a more advanced usage of the sub-caption feature of the caption package, please take a look at the excellent `keyfloat` package^[6] which provides the environments `keysubfigs`, `keysubtabs`, and `keysubfloats` for typesetting sub-figures and sub-tables. Furthermore the `floatrow` package^[3] provides the `subfloatrow` environment for typesetting sub-figures.

15 Thanks

I would like to thank Stephen Dalton who helped to make this package a better one.

16 The implementation

16.1 Identification

We need at least L^AT_EX2e version 1994/12/01.

```
1 \NeedsTeXFormat{LaTeX2e}[1994/12/01]
```

Bypass the release declarations in case the L^AT_EX kernel doesn't know how to deal with them (as suggested by <https://www.latex-project.org/publications/2018-FMi-TUB-tbl22mitt-version-rollback.pdf>).

```
2 \providecommand\DeclareRelease[3]{}
3 \providecommand\DeclareCurrentRelease[2]{}
```

Declare all supported releases.

```
4 \DeclareCurrentRelease{v1}{2007/12/06}
```

Identify the current version of the package.

```
5 \ProvidesPackage{subcaption}[2023/02/19 v1.6-dev Sub-captions (AR)]
```

Since we base on the caption package we load it here.

```
6 \RequirePackage{caption}[2010/01/09] % we need at least v3.1m
```

16.2 Initial code

```
\subcaption@Info \subcaption@Info{<message>}
issues an info message (with code line indication).
7 \newcommand*\subcaption@Info{%
8   \PackageInfo{subcaption}}
```

```
\subcaption@Warning \subcaption@Warning{<message>}
issues an warning message (with code line indication).
9 \newcommand*\subcaption@Warning{%
10  \PackageWarning{subcaption}}
```

```
\subcaption@Error \subcaption@Error{<message>}
issues an error message (with code line indication).
11 \newcommand*\subcaption@Error[1]{%
12   \PackageError{subcaption}{#1}{\caption@@eh{subcaption}}}
13 \providecommand*\caption@@eh[1]{%
14   If you do not understand this error, please take a closer look\MessageBreak
15   at the documentation of the '#1' package, especially the\MessageBreak
16   section about errors.\MessageBreak\@ehc}
```

```
\subcaption@OutsideFloat \subcaption@OutsideFloat} issues a “<command> outside float” error.
17 \newcommand*\subcaption@OutsideFloat[1]{%
18   \subcaption@Error{\string#1 outside float}}
```

16.3 Main code

```
\subcaptionsetup \subcaptionsetup* [<environment>] [<options>] is an abbreviation for \caption-
setup* [sub<environment>] [<options>], especially \subcaptionsetup{<options>}
sets options valid for all sub-captions.
19 \newcommand*\subcaptionsetup[1][ ]{%
20   \@ifstar{\captionsetup*[{sub#1}]}{\captionsetup[{sub#1}]}}
```

`\setcaptionsubtype` `\setcaptionsubtype` is available since `caption` package v3.2, so we need to define it first if only an older version is loaded (in fallback mode).

```
21 \providecommand\setcaptionsubtype{%
22   \caption@iftype
23   {\@ifstar{\captionsetup{subtype*}}{\captionsetup{subtype}}}%
24   {\subcaption@OutsideFloat\setcaptionsubtype}}
```

16.3.1 The `subcaptiongroup` environment

`subcaptiongroup` (*env.*) `subcaptiongroup` is the simplest of all environments or commands this package has to offer. It's simply an environment containing `\setcaptionsubtype`, that's all. A starred variant of this environment is available, too, which uses `\setcaptionsubtype*`.

```
25 \newenvironment{subcaptiongroup}
26   {\caption@iftype
27     {\setcaptionsubtype\relax}%
28     {\subcaption@OutsideFloat{subcaptiongroup}}}
29   {}

30 \newenvironment{subcaptiongroup*}
31   {\caption@iftype
32     {\setcaptionsubtype*}%
33     {\subcaption@OutsideFloat{subcaptiongroup*}}}
34   {}
```

16.3.2 The `subcaptionblock` environment (and aliases)

`\subcaption@minipage` This is a `minipage` with `\setcaptionsubtype` as first contents line.

```
35 \newcommand*\subcaption@minipage{%
36   \kernel@ifnextchar[%]
37     \subcaption@iminipage
38     {\caption@ifcaption{\subcaption@iminipage[t]}{\subcaption@iminipage[b]}}
```

We pass all other optional arguments using the generic helper macro `\caption@withoptargs` offered by the `caption` kernel).

```
39 \def\subcaption@iminipage[#1]{%
40 % \caption@withoptargs{\subcaption@iiminipage{#1}} % would need at least caption
41 \def\subcaption@tempa{\subcaption@iiminipage{#1}}%
42 \caption@withoptargs\subcaption@tempa}
```

'B' and 'T' will add a `\vspace{0pt}`, all other values (and additional optional arguments) will be passed unseen to the `minipage` environment.

```
43 \newcommand*\subcaption@iiminipage[3]{%
44   \let\subcaption@endminipage@hook\@empty
45   \if#1B%
46     \minipage[b]#2{#3}%
47     \def\subcaption@endminipage@hook{\vspace{0pt}}%
48   \else\if#1T%
49     \minipage[t]#2{#3}%
50     \vspace{0pt}%
51   \else
52     \minipage[#1]#2{#3}%
53   \fi\fi
54   \@subfloatboxreset}
```

```

55 \setcaptionsubtype\relax}
56 \newcommand*\subcaption@endminipage{%
57 \subcaption@endminipage@hook
58 \endminipage}
59 \providecommand*\@subfloatboxreset{}
60 \providecommand*\caption@ifcaption{\caption@ifflag2} % caption >= v3.3 < v3.6
61 \providecommand*\caption@ifflag[1]{\@secondoftwo} % caption < v3.3

```

`subcaptionblock` (*env.*) `subcaptionblock` is a minipage with `\setcaptionsubtype` as first contents line.

```

62 \newenvironment{subcaptionblock}{\subcaption@minipage}{\subcaption@endminipage}

```

`\subcaption@newminipage` `\subcaption@newminipage{<name of new environment>}`

defines a new environment containing `\subcaption@minipage` and `\subcaption@endminipage`. Furthermore a test will be included which checks if the environment name matches `sub\@capttype`.

```

63 \newcommand*\subcaption@newminipage[1]{%
64 \newenvironment{#1}{\subcaption@minipage@{#1}}{\subcaption@endminipage}}
65 \newcommand*\subcaption@minipage@[1]{%
66 \caption@iftype
67 {\edef\caption@tempa{#1}%
68 \edef\caption@tempb{sub\@capttype}%
69 \ifx\caption@tempa\caption@tempb \else
70 \subcaption@Warning{%
71 \caption@tempa' is treated as '\caption@tempb'\MessageBreak}%
72 \fi}%
73 {\subcaption@OutsideFloat{#1}}}%
74 \subcaption@minipage}

```

`subfigure` (*env.*) The sub-environments will be defined using the helper macro `\ForEachCaptionSubtable` (*env.*) `SubType` offered by the caption kernel v1.13 (2020/07/29), so for every caption subtype declared with `\DeclareCaptionSubType` a corresponding ‘sub’ environment will be defined automatically. (If the caption kernel v1.13 is not available we use `\caption@For` as fallback.)

```

75 \@ifundefined{ForEachCaptionSubType} % caption3 v1.13
76 {\caption@For{subtypelist}{\subcaption@newminipage{sub#1}}}
77 {\ForEachCaptionSubType{\subcaption@newminipage{#1}}}

```

16.3.3 The `\subcaptionbox` command

`\subcaptionbox` A `\parbox` with contents and sub-caption, separated by an invisible `\hrule`.

The code of this macro was moved to the caption package v3.2 (so it could offer it as `\captionbox` as well), so since then it’s sufficient to simply use `\caption@ibox` here.

But if only caption package v3.1 is available (since the user decided to use this particular fallback version), we still must define the code on our own.

```

78 \@ifundefined{caption@ibox}{%
79 \newcommand*\subcaptionbox{% caption v3.1
80 \def\subcaption@tempa{\caption@ibox\setcaptionsubtype\relax}%
81 \caption@withoptargs\subcaption@tempa}

```

```

82 \newcommand\caption@ibox[3]{%
83   \kernel@ifnextchar[%
84     {\caption@iibox{#1}{#2}{#3}}%
85     {\caption@iibox@{#1}{#2}{#3}}}
86 \long\def\caption@iibox#1#2#3[#4]{%
87   \@testopt{\caption@iibox{#1}{#2}{#3}[#4]}\captionbox@innerpos@default}
88 \long\def\caption@iibox@#1#2#3#4{%
89   \setbox\@tempboxa\hbox{#4}%
90   \caption@iibox{#1}{#2}{#3}%
91   [\wd\@tempboxa]%
92   [\captionbox@innerpos@default]%
93   {\unhbox\@tempboxa}}
94 \long\def\caption@iiibox#1{%
95   \caption@iiibox{#1}\vbox\vtop}
96 \long\def\caption@iiibox#1#2#3#4#5[#6][#7]#8{%
97   \ifundefined{caption@hj@#7}%
98     {\subcaption@Error{Undefined justification `#7'}\@gobble}%
99     {\@firstofone}%
100  {\begingroup
101   #1*% set \caption@position so \caption@iftop expands correctly
102   \caption@iftop{%
103     \endgroup
104     \parbox[t]{#6}{%
105       #1\relax
106       \caption@setposition t%
107       #2{\caption#4{#5}}%
108       \captionbox@hrule
109       \csname caption@hj@#7\endcsname
110       #8}%
111     }{%
112       \endgroup
113       \parbox[b]{#6}{%
114         #1\relax
115         \caption@setposition b%
116         \csname caption@hj@#7\endcsname
117         #8%
118         \captionbox@hrule
119         #3{\caption#4{#5}}}%
120       }}}
121 \newcommand*\captionbox@innerpos@default{c}
122 \newcommand*\captionbox@hrule{\hrule\@height\z@\relax}
123 \providecommand*\caption@hj@c{\centering}
124 \providecommand*\caption@hj@l{\raggedright}
125 \providecommand*\caption@hj@r{\raggedleft}
126 \providecommand*\caption@hj@s{}
127 {\@ifundefined{caption@iibox}{%
128 \newcommand*\subcaptionbox{% caption v3.2
129   \def\captionbox@type{subtype}%
130   \let\captionbox@settype\setcaptionsubtype
131   \caption@withoptargs\caption@box}
132 }{%

```



```

133 \newcommand*\subcaptionbox{% caption >= v3.3
134   \caption@withoptargs{\caption@ibox\setcaptionsubtype}}
135 }}

```

16.3.4 The `\subref` command

We redefine `\label` to `\subcaption@label` at `\setcaptionsubtype`.

```

136 \g@addto@macro\caption@subtypehook{%
137   \ifx\label\subcaption@label \else
138     \let\subcaption@ORI@label\label
139     \let\label\subcaption@label
140   \fi}

```

`\subcaption@label` When a label will be placed for a sub-caption, we automatically place a second one for `\subref`, too. This second label will contain the sub-type counter only.

```

141 \newcommand*\subcaption@label{%
142   \caption@withoptargs\subcaption@@@label}

143 \newcommand*\subcaption@@@label[2]{%
144   \@bsphack\beginngroup
145     \let\@bsphack\relax
146     \let\@esphack\relax

```

Label `\@currentlabel` by expanding the original `\label` code.

```

147   \subcaption@ORI@label#1{#2}%

```

Set `\@currentlabel` to the ‘sub’ counter value and expand the original `\label` code again. (But this time without optional arguments.)

```

148   \subcaption@prepare@label
149   \protected@edef\@currentlabel{\csname thesub\@capttype\endcsname}%
150   \subcaption@ORI@label{sub@#2}%
151   \endgroup\@esphack}

```

`\subcaption@prepare@label`

```

152 \newcommand*\subcaption@prepare@label{%

```

Adaption to the `showkeys` package: Hide the ‘sub’ label from it.

```

153   \let\SK@\@gobbletwo

```

Adaption to the `showlabels` package: Hide the ‘sub’ label from it by expanding to the original definition saved to `\SL@orig#1` (with `#1 = \SL@origlabel,...`).

```

154   \def\SL@showlabels##1{\@nameuse{SL@orig##1}}

```

`\subref` This one calls `\ref` with the second label. (see `\subcaption@label`)

```

155 \DeclareRobustCommand*\subref{%
156   \@ifstar
157     {\caption@withoptargs\subcaption@ref*}%
158     {\caption@withoptargs\@subref}}
159 \newcommand*\@subref[2]{%
160   \@ifundefined{hyperref}%
161     {\subcaption@ref{#1}{#2}}%
162     {\hyperref[{{#2}}]{\subcaption@ref{*#1}{#2}}}}

```

```

163 \newcommand*\subcaption@ref[2]{%
164   \begingroup
165     \caption@setoptions{sub}%
166     \subcaption@reffmt\p@subref{\ref#1{sub@#2}}%
167   \endgroup}

168 \newcommand*\p@subref{}

169 \DeclareCaptionOption{subrefformat}{\subcaption@setrefformat{#1}}

```

`\subcaption@setrefformat` `\subcaption@setrefformat{<name>}`

Selecting a subref format simply means saving the code (in `\subcaption@reffmt`).

```

170 \newcommand*\subcaption@setrefformat[1]{%
171   \@ifundefined{caption@labelformat@#1}% caption3 v2.x
172   {\@ifundefined{caption@lfmt@#1}% caption3 v1.x
173     {\subcaption@Error{Undefined label format `#1'}}%
174     {\expandafter\let\expandafter\subcaption@reffmt\csname caption@lfmt@#1\end
175     {\expandafter\let\expandafter\subcaption@reffmt\csname caption@labelformat@#1
176 \subcaption@setrefformat{simple}

```

To offer a smooth transition from the subfig to the subcaption package we offer the options `subrefformat=subsimple` and `subrefformat=subparens`, too.

```

177 \DeclareCaptionLabelFormat{subsimple}{#2}
178 \DeclareCaptionLabelFormat{subparens}{(#2)}

```

16.4 Execution of options

We use `\caption@ExecuteOptions` and `\caption@ProcessOptions` here to add the options to the ‘sub’ option list instead of executing them immediately.

```

179 \let\caption@setkeys@ORI\caption@setkeys
180 \@ifundefined{caption@SetupOptions} % caption3 v1.3
181   {\renewcommand\caption@setkeys[2]{\subcaptionsetup{#2}}}
182   {\caption@SetupOptions{subcaption}{\subcaptionsetup{#2}}}

183 \@ifundefined{caption@smaller} % caption3 v1.7-169
184   {\caption@ExecuteOptions{subcaption}{%
185     font+=small,labelformat=parens,labelsep=space,skip=6pt,list=0,hypcap=0}}
186   {\caption@ExecuteOptions{subcaption}{%
187     font+=smaller,labelformat=parens,labelsep=space,skip=6pt,list=0,hypcap=0}}

188 \caption@ProcessOptions*{subcaption}

189 \let\caption@setkeys\caption@setkeys@ORI
190 \let\caption@setkeys@ORI\@undefined

```

`\subcaption@DeclareType` `\subcaption@DeclareType{<type>}`

defines the sub-counter via `\DeclareCaptionSubType` offered by the caption package.

```

191 \newcommand*\subcaption@DeclareType[1]{%
192   \@ifundefined{c@sub#1}%
193   {\DeclareCaptionSubType{#1}}%
194   {\caption@subtypesource\caption@subtype@source{sub#1}%
195     \subcaption@Info{The counter `sub#1' was already defined by\MessageBreak\capt
196 \providecommand*\caption@subtypesource[2]{\def#1{a different package}} % caption3

```

We call `\DeclareCaptionSubType` for figure and table, and each floating environment declared with `\DeclareFloatingEnvironment` here.

```

197 \@ifundefined{ForEachCaptionType}      % caption3 v1.13
198   {\@ifundefined{caption@ForEachType}  % caption3 v1.4a
199     {\@ifundefined{c@figure}{}{\subcaption@DeclareType{figure}}}%
200     \@ifundefined{c@table}{}{\subcaption@DeclareType{table}}}%
201     \caption@For{typelist}{\subcaption@DeclareType{#1}}}}
202     {\caption@ForEachType{\subcaption@DeclareType{#1}}}}
203   {\ForEachCaptionType{\subcaption@DeclareType{#1}}}}

```

16.5 Bonus material

16.5.1 The `\subcaption`, `\phantomsubcaption`, `\subcaptionlistentry`, and `\subcaptiontext` commands

```

\subcaption@newabbreviation \subcaption@newabbreviation{<new command>} {<existing command>} {<extra
code in case of error>}

```

defines a new command as abbreviation of `\setcaptionsubtype*` plus `<command>`. (With a prefacing `\setcaptionsubtype`, `<new command>` is reduced to `<command>`. Unfortunately we have to do this on our own since using `\setcaptionsubtype` multiple times is not suppressed until caption package v3.6.)

Note: Since `\setcaptionsubtype` is used, the new command is designed to be used inside an own group!

```

204 \newcommand*\subcaption@newabbreviation[3]{%
205   \newcommand*{#1}{%
206     \caption@iftype
207       {\setcaptionsubtype*#2}%
208       {\subcaption@OutsideFloat#1#3}}%
209   \g@addto@macro\caption@subtypehook{\let#1#2}}% needed for caption < 3.6
210 \@onlypreamble\subcaption@newabbreviation

```

```

\caption@gobble \caption@gobble* [ <arg> ] [ [ <...> ] ] { <arg> }

```

is similar to `\@gobble` but gobbles a star and optional arguments as well.

```

211 \@ifundefined{caption@gobble}{}%
212 \DeclareRobustCommand*\caption@gobble{%  caption3 < v1.4
213   \caption@withoptargs\@gobbletwo}%
214 {}{}

```

`\subcaption` `\subcaption` is an abbreviation of `\setcaptionsubtype*` plus `\caption`.

```

215 \@ifclassloaded{memoir}{\let\subcaption\undefined}{}
216 \subcaption@newabbreviation\subcaption\caption\caption@gobble

```

`\phantomsubcaption` `\phantomsubcaption` is an abbreviation of `\setcaptionsubtype*` plus `\phantomcaption`.

Note: This commands needs at least caption package v3.2.

```

217 \subcaption@newabbreviation\phantomsubcaption\phantomcaption\relax

```

`\subcaptionlistentry` `\subcaptionlistentry` is an abbreviation of `\setcaptionsubtype*` plus `\captionlistentry`.

Note: This commands needs at least caption package v3.3.

```

218 \subcaption@newabbreviation\subcaptionlistentry\captionlistentry\caption@gobble

```

`\subcaptiontext` `\subcaptiontext` is an abbreviation of `\setcaptionsubtype*` plus `\captiontext`.

Note: This commands needs at least caption package v3.6.

```
219 \subcaption@newabbreviation\subcaptiontext\captiontext\caption@gobble
```

`\caption@subfloatrow@hook` Inside the `subfloatrow` environment offered by the `floatrow` package the usage of `\caption` etc. needs to be mapped to `\subcaption` etc.

```
220 \providecommand*\caption@subfloatrow@hook{} % caption < v3.7
```

```
221 \g@addto@macro\caption@subfloatrow@hook{%
```

```
222   \let\caption\subcaption
```

```
223   \let\phantomcaption\phantomsubcaption
```

```
224   \let\captionlistentry\subcaptionlistentry
```

```
225   \let\captiontext\subcaptiontext}
```

16.5.2 The `\subfloat` command

`\subfloat` `\subfloat` [`\list_entry`] [`\sub-caption`] {`\body`}

If `\sub-caption` is given, we map this to `\subcaptionbox` but transfer the `\label` from `\body` to `\sub-caption`. If not, we do the same as `\subcaptionbox` does, but use `\phantomcaption` instead of `\caption`. In both cases we do a `\ignorespaces` at the end since the original implementation of `\subfloat` does this, too.

```
226 \caption@AtBeginDocument{%
```

```
227   \begingroup
```

```
228     \newenvironment{subcaption@memoir@subfloat}{}{}%
```

```
229     \ifx\subfloat\subcaption@memoir@subfloat
```

```
230       \endgroup
```

```
231       % "subfloat" = empty environment, defined by memoir
```

```
232       \renewcommand*\subfloat{%
```

```
233         \def\subcaption@currentir{subfloat}%
```

```
234         \ifx\@currentir\subcaption@currentir
```

```
235           % emulate (empty) subfloat environment
```

```
236           \else
```

```
237             \expandafter\subcaption@subfloat
```

```
238             \fi}%
```

```
239     \else
```

```
240       \endgroup
```

```
241       \providecommand*\subfloat{\subcaption@subfloat}%
```

```
242     \fi}
```

```
243 \newcommand*\subcaption@subfloat{%
```

```
244   \kernel@ifnextchar[%]
```

```
245     \subcaption@@subfloat
```

```
246     \subcaption@subfloat@}
```

```
247 \long\def\subcaption@@subfloat[#1]{%
```

```
248   \kernel@ifnextchar[%]
```

```
249     {\subcaption@@@subfloat{#1}}%
```

```
250     {\subcaption@@subfloat@\subcaptionbox{#1}}}
```

```
251 \long\def\subcaption@@@subfloat#1[#2]{%
```

```
252   \subcaption@@subfloat@\subcaptionbox[#{#1}]{#2}}
```

```
253 \long\def\subcaption@@subfloat@#1#2#3{%
```

```
254   \subcaption@getlabel{#3}%
```

```
255   #1{#2\caption@thelabel}{\let\label\caption@gobble#3}%
```

```

256 \subcaption@clrlabel
257 \ignorespaces}

258 \def\subcaption@subfloat@#1{%
259 \setbox\@tempboxa\hbox{#1}%
260 \caption@iiiiibox
261 \setcaptionsubtype
262 {\phantomcaption\@gobble}{\phantomcaption\@gobble}% no box with \caption
263 {}% no optional arguments for \caption
264 {}% no sub-caption
265 [\wd\@tempboxa][\captionbox@innerpos@default]%
266 {\unhbox\@tempboxa}%
267 \ignorespaces}

```

`\subcaption@getlabel` `\subcaption@getlabel{<text>}`
gets the label command out of the given caption text and stores it to `\caption@thelabel`. It uses `\caption@getlabel` for this purpose which interface unfortunately has changed over time. (Changing the interface was a bad idea in the first place but now it is as it is).

```

268 \@ifundefined{caption@getlabel}{%
269 \newcommand\subcaption@getlabel[1]{% caption3 < v1.7
270 \subcaption@Error{\noexpand\subfloat needs at least caption v3.4}%
271 \let\caption@thelabel\relax}
272 }{\@ifundefined{caption@@@getlabel}{%
273 \newcommand\subcaption@getlabel[1]{% caption3 >= v1.7
274 \caption@getlabel#1\label{}}\@nil}
275 }{%
276 \newcommand*\subcaption@getlabel{% caption3 >= v2.0
277 \caption@getlabel}
278 }}

```

```

\subcaption@clrlabel \subcaption@clrlabel
resets \caption@thelabel to \relax.
279 \@ifundefined{caption@clrlabel}{%
280 \newcommand*\subcaption@clrlabel{\let\caption@thelabel\relax} % caption3 < v2.3
281 }{%
282 \newcommand*\subcaption@clrlabel{\caption@clrlabel} % caption3 >= v2.3
283 }

```

References

- [1] Frank Mittelbach and Michel Goossens:
The L^AT_EX Companion (2nd. Ed.),
Addison-Wesley, 2004.
- [2] Axel Sommerfeldt:
Customizing captions of floating environments,
2022/01/07

- [3] Olga Lapko:
The floatrow package documentation,
2007/12/24
- [4] Sebastian Rahtz & Heiko Oberdiek:
Hypertext marks in L^AT_EX,
November 12, 2007
- [5] Heiko Oberdiek:
The hypcap package – Adjusting anchors of captions,
2007/04/09
- [6] Brian Duun:
The L^AT_EX keyfloat Package,
2019/09/23
- [7] Rolf Niepraschk:
The overpic package,
2020/02/22
- [8] Steven B. Segletes:
The stackengine Package,
July 22, 2021
- [9] Till Tantau:
The TikZ and PGF Packages,
May 15, 2021
- [10] Steven D. Cochran:
The subfig package,
2005/07/05