

`pbJmpHook(event)` blinks the border of an pb push button just after the jmp to focus in on a rectangular region.

```

360 function pbJmpHook(event) {
361     toggleBC.field=event.target;
362     toggleBC.startColor=event.target.strokeColor;
363     toggleBC.altColor=%
364 (color.equal(toggleBC.startColor,color.transparent))?%
365 color.red:color.transparent;
366     oSIJ=app.setInterval("toggleBC();",250);
367     oTOJ=app.setTimeout("app.clearInterval(oSIJ); resetBC();",1250);
368 }
369 if (typeof toggleBC != "function" ) {
370     function toggleBC() {
371         var oField=toggleBC.field;
372         oField.strokeColor=%
373 (color.equal(oField.strokeColor,toggleBC.startColor))?%
374 toggleBC.altColor:toggleBC.startColor;
375     }
376     function resetBC() {
377         toggleBC.field.strokeColor=toggleBC.startColor;
378     }
379 }
380 \end{newsegment}
381 \fi % \ifFRblinkonjmp
382 \ifFRblinkonrestore

```

This script hooks into the DLJS of fitr to blink the field border when the user clicks in it. Length of the blink is 1250 milli-seconds.

```

383 \begin{newsegment}{Blink border on restore}

```

`pbRestoreHook(event,bRestore)` Supplies special effects on restore: `event` is the event object that called this function; `bRestore` is a Boolean switch, it is true when we are restoring, and false when we are not.

```

384 function pbRestoreHook(event,bRestore) {
385     if (!bRestore) return;
386     toggleBC.field=event.target;
387     toggleBC.startColor=event.target.strokeColor;
388     toggleBC.altColor=%
389 (color.equal(toggleBC.startColor,color.transparent))?%
390 color.red:color.transparent;
391     oSIR=app.setInterval("toggleBC();",250);
392     oTOR=app.setTimeout("app.clearInterval(oSIR); resetBC();",1250);
393 }
394 if (typeof toggleBC != "function" ) {
395     function toggleBC() {
396         var oField=toggleBC.field;
397         oField.strokeColor=%
398 (color.equal(oField.strokeColor,toggleBC.startColor))?%
399 toggleBC.altColor:toggleBC.startColor;
400     }

```

```
401     function resetBC() {
402         toggleBC.field.strokeColor=toggleBC.startColor;
403     }
404 }
405 \end{newsegment}
406 \fi % \ifFRblinkonrestore
407 \end{insDLJS*}
408 \fi % \ifFRusedljs
409 \end{package}
```


4 Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in *roman* refer to the code lines where the entry is used.

Symbols	
<code>\@eqlinktcolor</code>	191
<code>\@fitr@dvipdfmfalse</code>	25
<code>\@fitr@dvipdfmtrue</code>	27, 32, 37
<code>\@linkcolor</code>	191, 288
<code>\@pdfm@mark</code>	132, 137, 138
<code>!blink</code> (option)	4
<code>!blinkonjmp</code> (option)	3
<code>!blinkonrestore</code> (option)	4
<code>!preview</code> (option)	2, 3
<code>!viewMagWin</code> (option)	2, 3
A	
<code>\A</code>	284, 292, 297
<code>adddesth</code> (key)	7
<code>adddestw</code> (key)	7
<code>\afterassignment</code>	142
<code>allowFX</code> (key)	8
<code>\allowFXcode</code>	281, 282, 284
<code>\allowFXDefault</code>	186, 281
<code>\autoCenter</code>	283
B	
<code>\Bbox</code>	214
<code>\BC</code>	276, 278
<code>\BG</code>	276, 278
<code>blink</code> (option)	4
<code>blinkonjmp</code> (option)	3
<code>blinkonrestore</code> (option)	4
<code>\BOXCONTENT</code>	257
<code>button</code> (key)	7
C	
<code>\collectbox</code>	197
<code>\collectedbox</code>	207–209
<code>\Color</code>	288
D	
<code>\DeclareOptionX</code>	9, 13, 17, 21, 26, 31, 36, 41–44, 50, 52, 53, 55–58
<code>\define@boolkey</code>	175, 180
<code>\define@choicekey</code>	166, 177, 184
<code>dest</code> (key)	8
<code>\dimen@</code>	142, 147, 148
<code>dvipdfm</code> (option)	2
<code>dvipdfmx</code> (option)	2
<code>dvips</code> (option)	2
<code>dvipsone</code> (option)	2
E	
<code>\ef@Bbox</code>	215
<code>\ef@colorthislink</code>	192
<code>\ef@One</code>	189, 196, 204, 206, 253, 256
<code>\ef@Zero</code>	190, 251
<code>\eq@driver@name</code>	59
<code>\ExecuteOptionsX</code>	59–64
F	
<code>\F</code>	283
<code>\fbox</code>	247
<code>\fboxsep</code>	227
<code>\fitr@@adddesth</code>	173, 174, 223, 225, 233, 242, 244
<code>\fitr@@adddestw</code>	170, 171, 222, 225, 229, 237
<code>\fitr@@dest</code>	182, 183, 201, 203
<code>\fitr@@height</code>	89, 164, 165, 210, 218, 219, 235, 236, 247
<code>\fitr@@lift</code>	152, 153, 221, 240
<code>\fitr@@link</code>	178, 179, 195, 205, 212, 251, 253
<code>\fitr@@refPt</code>	167, 168, 204, 218, 241, 243, 247
<code>\fitr@@shift</code>	156, 157, 220, 238
<code>\fitr@@width</code>	160, 161, 207, 218, 219, 231, 232, 248
<code>\fitr@allowFX</code>	185, 187, 280, 282
<code>\fitr@bbox</code>	73, 81–88, 95, 119, 122, 125, 224
<code>\fitr@bcode</code>	192, 195, 197, 255
<code>\fitr@def@bp</code>	142, 143
<code>\fitr@defaultbp</code>	141, 170, 173
<code>\fitr@depth</code>	76, 86, 96, 108
<code>\fitr@depth@l</code>	87, 130
<code>\fitr@driver</code>	8–11, 13–15, 17–19, 21–23, 26, 28, 29, 31, 33, 34, 36, 38, 39, 92, 104
<code>\fitr@dvipdfm@driver</code>	30
<code>\fitr@dvipdfmx@driver</code>	35
<code>\fitr@dvips@driver</code>	20, 92
<code>\fitr@dvipsone@driver</code>	24, 104
<code>\fitr@FLB@ction</code>	213–216, 219, 252, 254, 255, 257
<code>\fitr@height</code>	74, 82, 101, 113
<code>\fitr@height@l</code>	83, 135
<code>\fitr@istar</code>	189, 190, 196, 204, 206, 256
<code>\fitr@jdirect@argi</code>	193
<code>\fitr@length</code>	77, 88, 89, 117–126, 209, 210, 229–240, 242, 244, 246

!preview	2, 3	\pushButton	283
!viewMagWin	2, 3		
blink	4	R	
blinkonjmp	3	\r	284
blinkonrestore	4	\raisebox	130, 135, 221, 246
dvipdfm	2	ref (key)	7
dvipdfmx	2	\RequirePackage	2–5, 67–71
dvips	2	\restoreOverlayPresets	12, 277
dvipsone	2	restoreView (JS function)	14
gonative	3		
luatex	2	S	
pbJumpBtnAction	13	\S	276, 278
pdftex	2	\set@rectjd	197–199
preview	2, 3	\set@rectjd	189, 190, 193
shiftRestoreView	13	\setbox	81
viewMagWin	2, 3	\setFitRDest	222, 260
xetex	2	\setLink	290, 295
\overlayPresets	12, 276, 278, 283	shift (key)	7
		shiftRestoreView (option)	13
P		\smash	130, 135, 220, 239
\PassOptionsToPackage	10, 11, 14, 15, 18, 19, 22, 23, 28, 29, 33, 34, 38, 39	\stepcounter	200
pbJumpBtnAction (option)	13	\strip@pt	148
pbJumpHook (JS function)	14		
pbJumpHookCustom (JS function)	13	T	
pbJumpLnkAction (JS function)	14	\temp@exp	194
\pbJumpLnkPresets	287, 288, 291, 296		
pbRestoreHook (JS function)	15	U	
pbRestoreHookCustom (JS function)	13	\unhbox	224
pbRestoreLnkAction (JS function)	14		
\pdfdest	79, 267	V	
\pdfextension	79	viewMagWin (option)	2, 3
pdftex (option)	2	\viewMagWinfalse	7, 44, 48
\presets	283, 291, 296	\viewMagWinOff	3, 48
preview (option)	2, 3	\viewMagWinOn	3, 47
\previewfalse	6, 42, 46	\viewMagWintrue	43, 47
\previewOff	3, 46		
\previewOn	3, 45	W	
\previewtrue	41, 45	\W	288
\ProcessOptionsX	66	width (key)	7
\protected	79		
\providecommand	45–48	X	
		xetex (option)	2

5 Change History

v1.3 (2020/07/03)

- General: Add a test for xetex and luatex 4
- Added ifluatex package 2

v1.3.1 (2020/07/06)

- General: Added \restoreOverlayPresets 12
- Added blinkonjmp and blinkonjmp options . . . 3

Added <code>blinkonrestore</code> and <code>blinkonrestore</code>			
options	4		
Added <code>blink</code> and <code>blink</code> options	4		
Added <code>gonative</code> option	3		
Added commands to locally turn on the			
		<code>preview</code> and <code>viewMagWin</code> options	3
		v1.3.2 (2020/07/09)	
		General: Bad upload for v1.3.1, corrected	
		problem.	2